

Scientific articles

From Steno Diabetes Center 2009



1. Advani A, Gilbert RE, Thai K, Gow RM, Langham RG, Cox AJ, Connelly KA, Zhang Y, Herzenberg AM, Christensen PK, Pollock CA, Qi W, Tan SM, Parving HH, Kelly DJ: Expression, localization, and function of the thioredoxin system in diabetic nephropathy. *Journal of the American Society of Nephrology* 2009; 20(4):730-741.
2. Akram K, Pedersen-Bjergaard U, Carstensen B, Borch-Johnsen K, Thorsteinsson B: Prospective and retrospective recording of severe hypoglycaemia, and assessment of hypoglycaemia awareness in insulin-treated Type 2 diabetes: Letter: Original Observation. *Diabetic Medicine* 2009; 26(12):1306-1308.
3. Alibegovic AC, Hojbjerg L, Sonne MP, van Hall G, Stallknecht B, Dela F, Vaag A: Impact of 9 Days of Bed Rest on Hepatic and Peripheral Insulin Action, Insulin Secretion, and Whole-Body Lipolysis in Healthy Young Male Offspring of Patients With Type 2 Diabetes. *Diabetes* 2009; 58(12):2749-2756.
4. Andreasen CH, Andersen G: Gene-environment interactions and obesity--further aspects of genome-wide association studies. *Nutrition* 2009; 25(10):998-1003.
5. Andreasen CH, Mogensen MS, Borch-Johnsen K, Sandbaek A, Lauritzen T, Almind K, Hansen L, Jørgensen T, Pedersen O, Hansen T: Studies of CTNBL1 and FDFT1 variants and measures of obesity: Analyses of quantitative traits and case-control studies in 18,014 Danes. *BMC Medical Genetics* 2009; 10(1):17.
6. Barrett JC, Clayton DG, Concannon P, Akolkar B, Cooper JD, Erlich HA, Julier C, Morahan G, Nerup J, Nierras C, Plagnol V, Pociot F, Schuilenburg H, Smyth DJ, Stevens H, Todd JA, Walker NM, Rich SS: Genome-wide association study and meta-analysis find that over 40 loci affect risk of type 1 diabetes. *Nature Genetics* 2009; 41(6):703-707.
7. Beck SA, Weis J, Greisen G, Andersen M, Zoffmann V: Room for family-centered care - a qualitative evaluation of a neonatal intensive care unit remodeling project. *Journal of Neonatal Nursing* 2009; 15(3):88-99.
8. Berchtold LA, Larsen CM, Vaag A, Faulenbach M, Workman CT, Kruhøffer M, Donath M, Mandrup-Poulsen T: IL-1 receptor antagonism and muscle gene expression in patients with type 2 diabetes. *European Cytokine Network* 2009; 20(2):81-87.
9. Bergholdt R, Brorsson C, Boehm B, Morahan G, Pociot F: No association of the IRS1 and PAX4 genes with type I diabetes. *Genes and Immunity* 2009; 10:S49-S53.
10. Bergholdt R, Brorsson C, Lage K, Nielsen JH, Brunak S, Pociot F: Expression profiling of human genetic and protein interaction networks in type 1 diabetes. *PLoS ONE* 2009; 4(7):e6250.
11. Boesgaard TW, Gjesing AP, Grarup N, Rutanen J, Jansson PA, Hribal ML, Sesti G, Fritsche A, Stefan N, Staiger H, Häring H, Smith U, Laakso M, Pedersen O, Hansen T: Variant near ADAMTS9 known to associate with type 2 diabetes is related to insulin resistance in offspring of type 2 diabetes patients - EUGENE2 study. *PLoS ONE* 2009; 4(9):e7236.
12. Boesgaard TW, Nielsen TT, Josefsen K, Hansen T, Jørgensen T, Pedersen O, Nørremølle A, Nielsen JE, Hasholt L: Huntington's disease does not appear to increase the risk of diabetes mellitus. *Journal of Neuroendocrinology* 2009; 21(9):770-776.
13. Bonnefond A, Vaxillaire M, Labrune Y, Lecoeur C, Chazotte JC, Bouatia-Naji N, Cauchi S, Balkau B, Marre M, Tichet J, Rivelin JP, Hadjadj S, Gallois Y, Czernichow S, Hercberg S, Kaakinen M, Wiesner S, Charpentier G, Lathrop M, Marchal C, Elliott P, Jarvelin MR, Horber F, Dina C, Pedersen O, Sladek R, Meyre D, Froguel P: Genetic variant in HK1 is associated with a proanemic state and A1C but not other glycaemic control-related traits. *Diabetes* 2009; 58(11):2687-2697.

14. Borg R, Nerup J, Nathan DM, Kuenen J, Zheng H, Schoenfeld D, Heine RJ: Glycated haemoglobin may in future be reported as estimated mean blood glucose concentration--secondary publication. *Ugeskr Laeger* 2009; 171(45):3262-3265.
15. Bouatia-Naji N, Bonnefond A, Cavalcanti-Proenca C, Sparsø T, Holmkvist J, Marchand M, Delplanque J, Lobbens S, Rocheleau G, Durand E, De Graeve F, Chèvre JC, Borch-Johnsen K, Hartikainen AL, Ruokonen A, Tichet J, Marre M, Weill J, Heude B, Tauber M, Lemaire K, Schuit F, Elliott P, Jørgensen T, Charpentier G, Hadjadj S, Cauchi S, Vaxillaire M, Sladek R, Visvikis-Siest S, Balkau B, Lévy-Marchal C, Pattou F, Meyre D, Blakemore AIF, Jarvelin MR, Walley AJ, Hansen T, Dina C, Pedersen O, Froguel P: A variant near MTNR1B is associated with increased fasting plasma glucose levels and type 2 diabetes risk. *Nature Genetics* 2009; 41(1):89-94.
16. Brorsson C, Hansen NT, Lage K, Bergholdt R, Brunak S, Pociot F: Identification of T1D susceptibility genes within the MHC region by combining protein interaction networks and SNP genotyping data. *Diabetes, Obesity and Metabolism* 2009; 11(SUPPL. 1):60-66.
17. Bruun C, Heding PE, Rønn SG, Frobøse H, Rhodes CJ, Mandrup-Poulsen T, Billestrup N: Suppressor of cytokine signalling-3 inhibits Tumor necrosis factor-alpha induced apoptosis and signalling in beta cells. *Mol Cell Endocrinol* 2009 13; 311(1-2):32-38.
18. Brøns C, Jensen CB, Storgaard H, Hiscock NJ, White A, Appel JS, Jacobsen S, Nilsson E, Larsen CM, Astrup A, Quistorff B, Vaag A: Impact of short-term high-fat feeding on glucose and insulin metabolism in young healthy men. *Journal of Physiology* 2009; 587(10):2387-2397.
19. Brøns C, Vaag A: Skeletal muscle lipotoxicity in insulin resistance and type 2 diabetes. *Journal of Physiology* 2009; 587(16):3977-3978.
20. Burt D, Bruno G, Chaturvedi N, Schalkwijk C, Stehouwer CD, Witte DR, Fuller JH, Pinach S, Perin PC, Gruden G: Anti-heat shock protein 27 antibody levels and diabetes complications in the EURODIAB study. *Diabetes Care* 2009; 32(7):1269-1271.
21. Christensen DL, Friis H, Mwaniki DL, Kilonzo B, Tetens I, Boit MK, Omondi B, Kaduka L, Borch-Johnsen K: Prevalence of glucose intolerance and associated risk factors in rural and urban populations of different ethnic groups in Kenya. *Diabetes Research and Clinical Practice* 2009; 84(3):303-310.
22. Christiansen MS, Iversen K, Larsen CT, Goetze JP, Hommel E, Molvig J, Pedersen BK, Magid E, Feldt-Rasmussen B: Increased urinary orosomucoid excretion: a proposed marker for inflammation and endothelial dysfunction in patients with type 2 diabetes. *Scand J Clin Lab Invest* 2009; 69(2):272-281.
23. Clausen TD, Mathiesen ER, Hansen T, Pedersen O, Jensen DM, Lauenborg J, Schmidt L, Damm P: Overweight and the metabolic syndrome in adult offspring of women with diet-treated gestational diabetes mellitus or type 1 diabetes. *Journal of Clinical Endocrinology and Metabolism* 2009; 94(7):2464-2470.
24. Concannon P, Chen WM, Julier C, Morahan G, Akolkar B, Erlich HA, Hilner JE, Nerup J, Nierras C, Pociot F, Todd JA, Rich SS: Genome-wide scan for linkage to type 1 diabetes in 2,496 multiplex families from the type 1 diabetes genetics consortium. *Diabetes* 2009; 58(4):1018-1022.
25. Dalsgaard EM, Lauritzen T, Christiansen T, Mai KS, Borch-Johnsen K, Sandbaek A: Socioeconomic factors related to attendance at a Type 2 diabetes screening programme. *Diabet Med* 2009; 26(5):518-525.
26. Egefjord L, Jensen JL, Bang-Berthelsen CH, Petersen AB, Smidt K, Schmitz O, Karlsen AE, Pociot F, Chimienti F, Rungby J, Magnusson NE: Zinc transporter gene expression is regulated by pro-inflammatory cytokines: A potential role for zinc transporters in beta-cell apoptosis? *BMC Endocrine Disorders* 2009; 9.
27. Engberg S, Vistisen D, Lau C, Glümer C, Jørgensen T, Pedersen O, Borch-Johnsen K: Progression to impaired glucose regulation and diabetes in the population-based inter99 study. *Diabetes Care* 2009; 32(4):606-611.

28. Faerch K, Borch-Johnsen K, Holst JJ, Vaag A: Pathophysiology and aetiology of impaired fasting glycaemia and impaired glucose tolerance: Does it matter for prevention and treatment of type 2 diabetes? *Diabetologia* 2009; 52(9):1714-1723.
29. Faerch K, Vaag A, Holst JJ, Hansen T, Jørgensen T, Borch-Johnsen K: Natural history of insulin sensitivity and insulin secretion in the progression from normal glucose tolerance to impaired fasting glycemia and impaired glucose tolerance: The inter99 study. *Diabetes Care* 2009; 32(3):439-444.
30. Faerch K, Vaag A, Witte DR, Jørgensen T, Pedersen O, Borch-Johnsen K: Predictors of future fasting and 2-h post-OGTT plasma glucose levels in middle-aged men and women-the Inter99 study. *Diabet Med* 2009; 26(4):377-383.
31. Gjesing AP, Sparsø T, Borch-Johnsen K, Jørgensen T, Pedersen O, Hansen T, Olsen NV: No consistent effect of ADRB2 haplotypes on obesity, hypertension and quantitative traits of body fatness and blood pressure among 6,514 adult danes. *PLoS ONE* 2009; 4(9):e7206.
32. Goossens GH, Petersen L, Blaak EE, Hul G, Arner P, Astrup A, Froguel P, Patel K, Pedersen O, Polak J, Oppert JM, Martinez JA, Sørensen TI, Saris WHM: Several obesity- and nutrient-related gene polymorphisms but not FTO and UCP variants modulate postabsorptive resting energy expenditure and fat-induced thermogenesis in obese individuals: The NUGENOB Study. *International Journal of Obesity* 2009; 33(6):669-679.
33. Grau K, Hansen T, Holst C, Astrup A, Saris WHM, Arner P, Rössner S, Macdonald I, Polak J, Oppert JM, Langin D, Martinez JA, Pedersen O, Sørensen TI: Macronutrient-specific effect of FTO rs9939609 in response to a 10-week randomized hypo-energetic diet among obese Europeans. *International Journal of Obesity* 2009; 33(11):1227-1234.
34. Gruden G, Bruno G, Chaturvedi N, Burt D, Pinach S, Schalkwijk C, Stehouwer CD, Witte DR, Fuller JH, Cavallo-Perin P: ANTI-HSP60 and ANTI-HSP70 antibody levels and micro/ macrovascular complications in type 1 diabetes: the EURODIAB Study. *J Intern Med* 2009; 266(6):527-536.
35. Grunnet LG, Aikin R, Tonnesen MF, Paraskevas S, Blaabjerg L, Størling J, Rosenberg L, Billestrup N, Maysinger D, Mandrup-Poulsen T: Proinflammatory cytokines activate the intrinsic apoptotic pathway in beta-cells. *Diabetes* 2009; 58(8):1807-1815.
36. Grunnet LG, Brøns C, Jacobsen S, Nilsson E, Astrup A, Hansen T, Pedersen O, Poulsen P, Quistorff B, Vaag A: Increased recovery rates of phosphocreatine and inorganic phosphate after isometric contraction in oxidative muscle fibers and elevated hepatic insulin resistance in homozygous carriers of the A-allele of FTO rs9939609. *Journal of Clinical Endocrinology and Metabolism* 2009; 94(2):596-602.
37. Grunnet LG, Nilsson E, Ling C, Hansen T, Pedersen O, Groop L, Vaag A, Poulsen P: Regulation and function of FTO mRNA expression in human skeletal muscle and subcutaneous adipose tissue. *Diabetes* 2009; 58(10):2402-2408.
38. Gylvin T, Ek J, Nolsoe R, Albrechtsen A, Andersen G, Bergholdt R, Brorsson C, Bang-Berthelsen CH, Hansen T, Karlsen AE, Billestrup N, Borch-Johnsen K, Jørgensen T, Pedersen O, Mandrup-Poulsen T, Nerup J, Pociot F: Functional SOCS1 polymorphisms are associated with variation in obesity in whites. *Diabetes Obes Metab* 2009; 11(3):196-203.
39. Halcox JP, Donald AE, Ellins E, Witte DR, Shipley MJ, Brunner EJ, Marmot MG, Deanfield JE: Endothelial function predicts progression of carotid intima-media thickness. *Circulation* 2009; 119(7):1005-1012.
40. Haugaard SB, Mu H, Vaag A, Madsbad S: Intramyocellular triglyceride content in man, influence of sex, obesity and glycaemic control. *Eur J Endocrinol* 2009; 161(1):57-64.
41. Haugaard SB, Vaag A, Mu H, Madsbad S: Skeletal muscle structural lipids improve during weight-maintenance after a very low calorie dietary intervention. *Lipids in Health and Disease* 2009; 8.
42. Heraclides A, Chandola T, Witte DR, Brunner EJ: Psychosocial Stress at Work Doubles the Risk of

Type 2 Diabetes in Middle-Aged Women Evidence from the Whitehall II Study. *Diabetes Care* 2009; 32(12):2230-2235.

43. Herder C, Brunner EJ, Rathmann W, Strassburger K, Tabák AG, Schloot NC, Witte DR: Elevated levels of the anti-inflammatory interleukin-1 receptor antagonist precede the onset of type 2 diabetes: The whitehall II study. *Diabetes Care* 2009; 32(3):421-423.

44. Holmkvist J, Banasik K, Andersen G, Unoki H, Jensen TS, Pisinger C, Borch-Johnsen K, Sandbaek A, Lauritzen T, Brunak S, Maeda S, Hansen T, Pedersen O: The type 2 diabetes associated minor allele of rs2237895 KCNQ1 associates with reduced insulin release following an oral glucose load. *PLoS ONE* 2009; 4(6):e5872.

45. Holst B, Egerod KL, Jin C, Petersen PS, Østergaard MV, Hald J, Sprinkel AM, Størling J, Mandrup-Poulsen T, Holst JJ, Thams P, Orskov C, Wierup N, Sundler F, Madsen OD, Schwartz TW: G protein-coupled receptor 39 deficiency is associated with pancreatic islet dysfunction. *Endocrinology* 2009; 150(6):2577-2585.

46. Hoppe C, Molgaard C, Dalum C, Vaag A, Michaelsen KF: Differential effects of casein versus whey on fasting plasma levels of insulin, IGF-1 and IGF-1/IGFBP-3: results from a randomized 7-day supplementation study in prepubertal boys. *Eur J Clin Nutr* 2009; 63(9):1076-1083.

47. Hovind P, Rossing P, Tarnow L, Johnson RJ, Parving HH: Serum uric acid as a predictor for development of diabetic nephropathy in type 1 diabetes: An inception cohort study. *Diabetes* 2009; 58(7):1668-1671.

48. Hu Y, Kaisaki PJ, Argoud K, Wilder SP, Wallace KJ, Woon PY, Blancher C, Tarnow L, Groop PH, Hadjadj S, Marre M, Parving HH, Farrall M, Cox RD, Lathrop M, Vionnet N, Bihoreau MT, Gauguier D: Functional annotations of diabetes nephropathy susceptibility loci through analysis of genome-wide renal gene expression in rat models of diabetes mellitus. *BMC Medical Genomics* 2009; 2.

49. Huth C, Illig T, Herder C, Gieger C, Grallert H, Vollmert C, Rathmann W, Hamid YH, Pedersen O, Hansen T, Thorand B, Meisinger C, Doring A, Klopp N, Gohlke H, Lieb W, Hengstenberg C, Lyssenko V, Groop L, Ireland H, Stephens JW, Wernstedt Asterholm I, Jansson JO, Boeing H, Mohlig M, Stringham HM, Boehnke M, Tuomilehto J, Fernandez-Real JM, Lopez-Bermejo A, Gallart L, Vendrell J, Humphries SE, Kronenberg F, Wichmann HE, Heid IM: Joint analysis of individual participants' data from 17 studies on the association of the IL6 variant -174G>C with circulating glucose levels, interleukin-6 levels, and body mass index. *Annals of Medicine* 2009; 41(2):128-138.

50. Jacobsen ML, Rønn SG, Bruun C, Larsen CM, Eizirik DL, Mandrup-Poulsen T, Billestrup N: IL-1beta-induced chemokine and Fas expression are inhibited by suppressor of cytokine signalling-3 in insulin-producing cells. *Diabetologia* 2009; 2(2):281-288.

51. Juul L, Sandbaek A, Foldspang A, Frydenberg M, Borch-Johnsen K, Lauritzen T: Adherence to guidelines in people with screen-detected type 2 diabetes, ADDITION, Denmark Exemplified by treatment initiation with an ACE inhibitor or an angiotensin-II receptor antagonist. *Scandinavian Journal of Primary Health Care* 2009; 27(4):223-231.

52. Jørgensen T, Ladelund S, Borch-Johnsen K, Pisinger C, Schrader AM, Thomsen T, Glümer C, Ibsen H, Mortensen EL: Screening for risk of cardiovascular disease is not associated with mental distress: the Inter99 study. *Prev Med* 2009; 48(3):242-246.

53. Kaunisto MA, Sjolind L, Sallinen R, Pettersson-Fernholm K, Saraheimo M, Frojdo S, Forsblom C, Fagerudd J, Hansen TK, Flyvbjerg A, Wessman M, Groop PH: Elevated MBL concentrations are not an indication of association between the MBL2 gene and type 1 diabetes or diabetic nephropathy. *Diabetes* 2009; 58(7):1710-1714.

54. Kivimaki M, Tabak AG, Batty GD, Singh-Manoux A, Jokela M, Akbaraly TN, Witte DR, Brunner EJ, Marmot MG, Lawlor DA: Hyperglycemia, type 2 diabetes, and depressive symptoms: The British Whitehall II study. *Diabetes Care* 2009; 32(10):1867-1869.

55. Kjaer A, Kristoffersen US, Tarnow L, Parving HH, Hesse B: Short-term oral treatment with the angiotensin II receptor antagonist losartan does not improve coronary vasomotor function in asymptomatic type 2 diabetes patients. *Diabetes Research and Clinical Practice* 2009; 84(1):34-38.
56. Kolberg JA, Jørgensen T, Gerwien RW, Hamren S, McKenna MP, Moler E, Rowe MW, Urdea MS, Xu XM, Hansen T, Pedersen O, Borch-Johnsen K: Development of a type 2 diabetes risk model from a panel of serum biomarkers from the inter99 cohort. *Diabetes Care* 2009; 32(7):1207-1212.
57. Konradsen H, Kirkeveld M, Zoffmann V: Surgical facial cancer treatment: The silencing of disfigurement in nurse-patient interactions. *Journal of Advanced Nursing* 2009; 65(11):2409-2418.
58. Koutnikova H, Laakso M, Lu L, Combe R, Paananen J, Kuulasmaa T, Kuusisto J, Haring HU, Hansen T, Pedersen O, Smith U, Hanefeld M, Williams RW, Auwerx J: Identification of the UBP1 locus as a critical blood pressure determinant using a combination of mouse and human genetics. *PLoS Genet* 2009; 5(8):e1000591.
59. Kring SII, Werge T, Holst C, Toubro S, Astrup A, Hansen T, Pedersen O, Sørensen TI: Polymorphisms of serotonin receptor 2A and 2C genes and COMT in relation to obesity and type 2 diabetes. *PLoS ONE* 2009; 4(8):e6696.
60. Larsen CM, Faulenbach M, Vaag A, Ehses JA, Donath MY, Mandrup-Poulsen T: Sustained effects of interleukin-1 receptor antagonist treatment in type 2 diabetes. *Diabetes Care* 2009; 32(9):1663-1668.
61. Lau C, Toft U, Tetens I, Carstensen B, Jørgensen T, Pedersen O, Borch-Johnsen K: Dietary patterns predict changes in two-hour post-oral glucose tolerance test plasma glucose concentrations in middle-aged adults. *Journal of Nutrition* 2009; 139(3):588-593.
62. Lauenborg J, Grarup N, Damm P, Borch-Johnsen K, Jørgensen T, Pedersen O, Hansen T: Common type 2 diabetes risk gene variants associate with gestational diabetes. *Journal of Clinical Endocrinology and Metabolism* 2009; 94(1):145-150.
63. Lindahl B, Nilsson TK, Borch-Johnsen K, Roder ME, Soderberg S, Widman L, Johnson O, Hallmans G, Jansson JH: A randomized lifestyle intervention with 5-year follow-up in subjects with impaired glucose tolerance: pronounced short-term impact but long-term adherence problems. *Scand J Public Health* 2009; 37(4):434-442.
64. Lund SS, Tarnow L, Astrup AS, Hovind P, Jacobsen PK, Alibegovic AC, Parving I, Pietraszek L, Frandsen M, Rossing P, Parving HH, Vaag AA: Effect of adjunct metformin treatment on levels of plasma lipids in patients with type 1 diabetes. *Diabetes, Obesity and Metabolism* 2009; 11(10):966-977.
65. Lund SS, Tarnow L, Frandsen M, Nielsen BB, Hansen BV, Pedersen O, Parving HH, Vaag AA: Combining insulin with metformin or an insulin secretagogue in non-obese patients with type 2 diabetes: 12 Month, randomised, double blind trial. *BMJ* 2009; 339(7730):1121-1124.
66. Lund SS, Vaag AA: Intensive glycemic control and the prevention of cardiovascular events: Implications of the ACCORD, ADVANCE, and VA diabetes trials: A position statement of the American Diabetes Association and a scientific statement of the American College of Cardiology Foundation and the American Heart Association: Response to Skyler et al. *Diabetes Care* 2009; 32(7):e90-e91.
67. Lundby Christensen L, Almdal T, Boesgaard T, Breum L, Dunn E, Gade-Rasmussen B, Gluud C, Hedetoft C, Jarloev A, Jensen T, Krarup T, Johansen LB, Lund SS, Madsbad S, Mathiesen E, Moelvig J, Nielsen F, Perrild H, Pedersen O, Roeder M, Sneppen SB, Snorgaard O, Tarnow L, Thorsteinsson B, Vaag A, Vestergaard H, Wetterslev J, Wiinberg N: Study rationale and design of the CIMT trial: The Copenhagen insulin and metformin therapy trial. *Diabetes, Obesity and Metabolism* 2009; 11(4):315-322.
68. Maedler K, Dharmadhikari G, Schumann DM, Storling J: Interleukin-1 beta targeted therapy for type 2 diabetes. *Expert Opin Biol Ther* 2009; 9(9):1177-1188.
69. Monrad RN, Grunnet LG, Rasmussen EL, Malis C, Vaag A, Poulsen P: Age-dependent nongenetic influences of birth weight and adult body fat on insulin sensitivity in twins. *Journal of Clinical Endocrinology and Metabolism* 2009; 94(7):2394-2399.

70. Mortensen B, Poulsen P, Wegner L, Stender-Petersen KL, Ribel-Madsen R, Friedrichsen M, Birk JB, Vaag A, Wojtaszewski JFP: Genetic and metabolic effects on skeletal muscle AMPK in young and older twins. *American Journal of Physiology - Endocrinology and Metabolism* 2009; 297(4):E956-E964.
71. Möllsten A, Lajer M, Jorsal A, Tarnow L: The endothelial nitric oxide synthase gene and risk of diabetic nephropathy and development of cardiovascular disease in type 1 diabetes. *Molecular Genetics and Metabolism* 2009; 97(1):80-84.
72. Nathan DM, Balkau B, Bonora E, Borch-Johnsen K, Buse JB, Colagiuri S, Davidson MB, DeFronzo R, Genuth S, Holman RR, Ji L, Kirkman S, Knowler WC, Schatz D, Shaw J, Sobngwi E, Steffes M, Vaccaro O, Wareham N, Zinman B, Kahn R: International expert committee report on the role of the A1C assay in the diagnosis of diabetes. *Diabetes Care* 2009; 32(7):1327-1334.
73. Naukkarinen J, Nilsson E, Koistinen HA, Soderlund S, Lyssenko V, Vaag A, Poulsen P, Groop L, Taskinen MR, Peltonen L: Functional variant disrupts insulin induction of USF1: mechanism for USF1-associated dyslipidemias. *Circ Cardiovasc Genet* 2009; 2(5):522-529.
74. Nielsen BM, Nielsen MM, Toubro S, Pedersen O, Astrup A, Sorensen TI, Jess T, Heitmann BL: Past and current body size affect validity of reported energy intake among middle-aged Danish men. *J Nutr* 2009; 139(12):2337-2343.
75. Nielsen NB, Højbjerg L, Sonne MP, Alibegovic AC, Vaag A, Dela F, Stallknecht B: Interstitial concentrations of adipokines in subcutaneous abdominal and femoral adipose tissue. *Regulatory Peptides* 2009; 155(1-3):39-45.
76. Nielsen SE, Sugaya T, Tarnow L, Lajer M, Schjoedt KJ, Astrup AS, Baba T, Parving HH, Rossing P: Tubular and glomerular injury in diabetes and the impact of ACE inhibition. *Diabetes Care* 2009; 32(9):1684-1688.
77. Palsgaard J, Brøns C, Friedrichsen M, Dominguez H, Jensen M, Storgaard H, Spohr C, Torp-Pedersen C, Borup R, De Meyts P, Vaag A: Gene expression in skeletal muscle biopsies from people with type 2 diabetes and relatives: Differential regulation of insulin signaling pathways. *PLoS ONE* 2009; 4(8):e6575.
78. Parving H-H, Persson F, Lewis JB, Lewis EJ, Hollenberg NK: Aliskiren combined with losartan in type 2-diabetes and nephropathy - secondary publication. *Ugeskrift for Laeger* 2009; 171(11):881-884.
79. Persson F, Rossing P, Reinhard H, Juhl T, Stehouwer CDA, Schalkwijk C, Jan Danser AH, Boomsma F, Frandsen E, Parving HH: Renal effects of aliskiren compared with and in combination with irbesartan in patients with type 2 diabetes, hypertension, and albuminuria. *Diabetes Care* 2009; 32(10):1873-1879.
80. Petersen LJ, Birn H, Ladefoged SA, Randers E, Rehling M, Reinholdt B, Rossing P: Clinical assessment of excretory renal function. *Ugeskr Laeger* 2009; 171(13):1090.
81. Pilgaard K, Jensen CB, Schou JH, Lyssenko V, Wegner L, Brøns C, Vilsbøll T, Hansen T, Madsbad S, Holst JJ, Vølund A, Poulsen P, Groop L, Pedersen O, Vaag AA: The T allele of rs7903146 TCF7L2 is associated with impaired insulinotropic action of incretin hormones, reduced 24 h profiles of plasma insulin and glucagon, and increased hepatic glucose production in young healthy men. *Diabetologia* 2009; 52(7):1298-1307.
82. Poulsen P, Grunnet LG, Pilgaard K, Storgaard H, Alibegovic A, Sonne MP, Carstensen B, Beck-Nielsen H, Vaag A: Increased risk of type 2 diabetes in elderly twins. *Diabetes* 2009; 58(6):1350-1355.
83. Poulsen PL, Hansen KW, G+^ade PH, Rossing P: Hypertension in patients with diabetes. *Ugeskrift for laeger* 2009; 171(24):2031-2034.
84. Radha V, Ek J, Anuradha S, Hansen T, Pedersen O, Mohan V: Identification of novel variants in the hepatocyte nuclear factor-1alpha gene in South Indian patients with maturity onset diabetes of young. *Journal of Clinical Endocrinology and Metabolism* 2009; 94(6):1959-1965.

85. Rathcke CN, Holmkvist J, Husmoen LLN, Hansen T, Pedersen O, Vestergaard H, Linneberg A: Association of polymorphisms of the CHI3L1 gene with asthma and atopy: A populations-based study of 6514 Danish adults. *PLoS ONE* 2009; 4(7):e6106.
86. Rathcke CN, Holmkvist J, Jørgensen T, Borch-Johnsen K, Hansen T, Pedersen OB, Vestergaard H: Variation in CHI3L1 in relation to type 2 diabetes and related quantitative traits. *PLoS ONE* 2009; 4(5):e5469.
87. Rathcke CN, Persson F, Tarnow L, Rossing P, Vestergaard H: YKL-40, a marker of inflammation and endothelial dysfunction, is elevated in patients with type 1 diabetes and increases with levels of albuminuria. *Diabetes Care* 2009; 32(2):323-328.
88. Reiling E, van Vliet-Ostaptchouk JV, van't Riet E, van Haeften TW, Arp PA, Hansen T, Kremer D, Groenewoud MJ, van Hove EC, Romijn JA, Smit JWA, Nijpels G, Heine RJ, Uitterlinden AG, Pedersen O, Slagboom PE, Maassen JA, Hofker MH, 't Hart LM, Dekker JM: Genetic association analysis of 13 nuclear-encoded mitochondrial candidate genes with type II diabetes mellitus: The DAMAGE study. *European Journal of Human Genetics* 2009; 17(8):1056-1062.
89. Ribel-Madsen R, Friedrichsen M, Vaag A, Poulsen P: Retinol-binding protein 4 in twins: Regulatory mechanisms and impact of circulating and tissue expression levels on insulin secretion and action. *Diabetes* 2009; 58(1):54-60.
90. Rich SS, Akolkar B, Concannon P, Erlich H, Hilner J, Julier C, Morahan G, Nerup J, Nierras C, Pociot F, Todd JA: Results of the MHC fine mapping workshop. *Diabetes, Obesity and Metabolism* 2009; 11(SUPPL. 1):108-109.
91. Rose CS, Grarup N, Krarup NT, Poulsen P, Wegner L, Nielsen T, Banasik K, Faerch K, Andersen G, Albrechtsen A, Borch-Johnsen K, Clausen JO, Jørgensen T, Vaag A, Pedersen O, Hansen T: A variant in the G6PC2/ABCB11 locus is associated with increased fasting plasma glucose, increased basal hepatic glucose production and increased insulin release after oral and intravenous glucose loads. *Diabetologia* 2009; 52(10):2122-2129.
92. Rubak S, Sandbaek A, Lauritzen T, Borch-Johnsen K, Christensen B: General practitioners trained in motivational interviewing can positively affect the attitude to behaviour change in people with type 2 diabetes. One year follow-up of an RCT, ADDITION Denmark. *Scand J Prim Health Care* 2009; 27(3):172-179.
93. Rung J, Cauchi S, Albrechtsen A, Shen L, Rocheleau G, Cavalcanti-Proenca C, Bacot F, Balkau B, Bellisle A, Borch-Johnsen K, Charpentier G, Dina C, Durand E, Elliott P, Hadjadj S, Järvelin MR, Laitinen J, Lauritzen T, Marre M, Mazur A, Meyre D, Montpetit A, Pisinger C, Posner B, Poulsen P, Pouta A, Prentki M, Ribel-Madsen R, Ruokonen A, Sandbaek A, Serre D, Tichet J, Vaxillaire M, Wojtaszewski JFP, Vaag A, Hansen T, Polychronakos C, Pedersen O, Froguel P, Sladek R: Genetic variant near IRS1 is associated with type 2 diabetes, insulin resistance and hyperinsulinemia. *Nature Genetics* 2009; 41(10):1110-1115.
94. Russell-Jones D, Vaag A, Schmitz O, Sethi BK, Lalic N, Antic S, Zdravkovic M, Ravn GM, Simó R: Liraglutide vs insulin glargine and placebo in combination with metformin and sulfonylurea therapy in type 2 diabetes mellitus (LEAD-5 met+SU): A randomised controlled trial. *Diabetologia* 2009; 52(10):2046-2055.
95. Rönn T, Poulsen P, Tuomi T, Isomaa B, Groop L, Vaag A, Ling C: Genetic variation in ATP5O is associated with skeletal muscle ATP5O mRNA expression and glucose uptake in young twins. *PLoS ONE* 2009; 4(3):e4793.
96. Sadleir LG, Scheffer IE, Smith S, Carstensen B, Farrell K, Connolly MB: EEG features of absence seizures in idiopathic generalized epilepsy: Impact of syndrome, age, and state. *Epilepsia* 2009; 50(6):1572-1578.
97. Salanti G, Southam L, Altshuler D, Ardlie K, Barroso I, Boehnke M, Cornelis MC, Frayling TM, Grallert H, Grarup N, Groop L, Hansen T, Hattersley AT, Hu FB, Hveem K, Illig T, Kuusisto J, Laakso M,

Langenberg C, Lyssenko V, McCarthy MI, Morris A, Morris AD, Palmer CNA, Payne F, Platou CGP, Scott LJ, Voight BF, Wareham NJ, Zeggini E, Ioannidis JPA: Underlying genetic models of inheritance in established type 2 diabetes associations. *American Journal of Epidemiology* 2009; 170(5):537-545.

98. Schjoedt KJ, Astrup AS, Persson F, Frandsen E, Boomsma F, Rossing K, Tarnow L, Rossing P, Parving HH: Optimal dose of lisinopril for renoprotection in type 1 diabetic patients with diabetic nephropathy: A randomised crossover trial. *Diabetologia* 2009; 52(1):46-49.

99. Schjoedt KJ, Christensen PK, Jorsal A, Boomsma F, Rossing P, Parving HH: Autoregulation of glomerular filtration rate during spironolactone treatment in hypertensive patients with type 1 diabetes: a randomized crossover trial. *Nephrol Dial Transplant* 2009; 24(11):3343-3349.

100. Schultz M, Kistorp C, Corell P, Andersen HU, Jarlov A, Faber J: N-Terminal-pro-B-type Natriuretic Peptide during Pharmacological Heart Rate Reduction in Hyperthyroidism. *Hormone and Metabolic Research* 2009; 41(4):302-307.

101. Sonne MP, Højbjerg L, Alibegovic AC, Vaag A, Stallknecht B, Dela F: Diminished Insulin-Mediated Forearm Blood Flow and Muscle Glucose Uptake in Young Men with Low Birth Weight. *J Vasc Res* 2009; 47(2):139-147.

102. Sonne MP, Højbjerg L, Alibegovic AA, Vaag A, Stallknecht B, Dela F: Impaired endothelial function and insulin action in first-degree relatives of patients with type 2 diabetes mellitus. *Metabolism: Clinical and Experimental* 2009; 58(1):93-101.

103. Sparsø T, Bonnefond A, Andersson E, Bouatia-Naji N, Holmkvist J, Wegner L, Grarup N, Gjesing AP, Banasik K, Cavalcanti-Proenca C, Marchand M, Vaxillaire M, Charpentier G, Jarvelin MR, Tichet J, Balkau B, Marre M, Lévy-Marchal C, Faerch K, Borch-Johnsen K, Jørgensen T, Madsbad S, Poulsen P, Vaag A, Dina C, Hansen T, Pedersen O, Froguel P: G-allele of intronic rs10830963 in MTNR1B confers increased risk of impaired fasting glycemia and type 2 diabetes through an impaired glucose-stimulated insulin release: Studies involving 19,605 Europeans. *Diabetes* 2009; 58(6):1450-1456.

104. Sparsø T, Grarup N, Andreasen C, Albrechtsen A, Holmkvist J, Andersen G, Jørgensen T, Borch-Johnsen K, Sandbaek A, Lauritzen T, Madsbad S, Hansen T, Pedersen O: Combined analysis of 19 common validated type 2 diabetes susceptibility gene variants shows moderate discriminative value and no evidence of gene-gene interaction. *Diabetologia* 2009; 52(7):1308-1314.

105. Stevens LA, Schmid CH, Zhang YL, Coresh J, Manzi J, Landis R, Bakoush O, Contreras G, Genuth S, Klintmalm GB, Poggio E, Rossing P, Rule AD, Weir MR, Kusek J, Greene T, Levey AS: Development and validation of GFR-estimating equations using diabetes, transplant and weight. *Nephrol Dial Transplant* 2009.

106. Svensson J, Lyngaae-Jørgensen A, Carstensen B, Simonsen LB, Mortensen HB: Long-term trends in the incidence of type 1 diabetes in Denmark: The seasonal variation changes over time. *Pediatric Diabetes* 2009; 10(4):248-254.

107. Tabák AG, Brunner EJ, Miller MA, Karanam S, McTernan PG, Cappuccio FP, Witte DR: Low serum adiponectin predicts 10-year risk of type 2 diabetes and hba1c independently of obesity, lipids, and inflammation: Whitehall II study. *Hormone and Metabolic Research* 2009; 41(8):626-629.

108. Tabák AG, Jokela M, Akbaraly TN, Brunner EJ, Kivimäki M, Witte DR: Trajectories of glycaemia, insulin sensitivity, and insulin secretion before diagnosis of type 2 diabetes: an analysis from the Whitehall II study. *Lancet* 2009; 373(9682):2215-2221.

109. Tarnow L, Michelson AD, Barnard MR, Frelinger III AL, Aasted B, Jensen BR, Parving HH, Rossing P, Tarnow L: Nephropathy in Type 1 diabetes is associated with increased circulating activated platelets and platelet hyperreactivity. *Platelets* 2009; 20(7):513-519.

110. Thorleifsson G, Walters GB, Gudbjartsson DF, Steinthorsdottir V, Sulem P, Helgadottir A, Styrkarsdottir U, Gretarsdottir S, Thorlacius S, Jonsdottir I, Jonsdottir T, Olafsdottir EJ, Olafsdottir GH, Jonsson T, Jonsson F, Borch-Johnsen K, Hansen T, Andersen G, Jørgensen T, Lauritzen T, Aben KK, Verbeek

ALM, Roeleveld N, Kampman E, Yanek LR, Becker LC, Tryggvadottir L, Rafnar T, Becker DM, Gulcher J, Kiemeny LA, Pedersen O, Kong A, Thorsteinsdottir U, Stefansson K: Genome-wide association yields new sequence variants at seven loci that associate with measures of obesity. *Nature Genetics* 2009; 41(1):18-24.

111. Thorseng T, Witte DR, Vistisen D, Borch-Johnsen K, Bjerregaard P, Jørgensen ME: The association between n-3 fatty acids in erythrocyte membranes and insulin resistance: The inuit health in transition study. *International Journal of Circumpolar Health* 2009; 68(4):327-336.

112. Toft U, Pisinger C, Aadahl M, Lau C, Linneberg A, Ladelund S, Kristoffersen L, Jørgensen T: The impact of a population-based multi-factorial lifestyle intervention on alcohol intake: the Inter99 study. *Prev Med* 2009; 49(2-3):115-121.

113. Tonnesen MF, Grunnet LG, Friberg J, Cardozo AK, Billestrup N, Eizirik DL, Størling J, Mandrup-Poulsen T: Inhibition of nuclear factor-kappaB or Bax prevents endoplasmic reticulum stress- but not nitric oxide-mediated apoptosis in INS-1E cells. *Endocrinology* 2009; 150(9):4094-4103.

114. Urdea M, Kolberg J, Wilber J, Gerwien R, Moler E, Rowe M, Jørgensen P, Hansen T, Pedersen O, Jørgensen T, Borch-Johnsen K: Validation of a multimarker model for assessing risk of TYPE 2 diabetes from a five-year prospective study of 6784 danish people (Inter99). *J Diabetes Sci Technol* 2009; 3(4): 1-8.

115. Viken MK, Blomhoff A, Olsson M, Akselsen HE, Pociot F, Nerup J, Kockum I, Cambon-Thomsen A, Thorsby E, Undlien DE, Lie BA: Reproducible association with type 1 diabetes in the extended class I region of the major histocompatibility complex. *Genes Immun* 2009; 10(4):323-333.

116. Vistisen D, Colagiuri S, Borch-Johnsen K: Bimodal distribution of glucose is not universally useful for diagnosing diabetes. *Diabetes Care* 2009; 32(3):397-403.

117. Xiao X, Wang T, Li W, Song H, Gong C, Diao C, Yu M, Yuan T, Zhang Y, Sun X, Zhang Q, Lu K, Wang H, Schmitz O, Hansen T: Transfer from insulin to sulfonylurea treatment in a chinese patient with permanent neonatal diabetes mellitus due to a KCNJ11 R201H mutation. *Horm Metab Res* 2009; 41(7):580-582.

118. Zhang L, Qiao Q, Tuomilehto J, Hammar N, Ruotolo G, Stehouwer CD, Heine RJ, Eliasson M, Zethelius B, Borch-Johnsen K: The impact of dyslipidaemia on cardiovascular mortality in individuals without a prior history of diabetes in the DECODE Study. *Atherosclerosis* 2009; 206(1):298-302.

119. Zimmermann E, Kring SI, Berentzen TL, Holst C, Pers TH, Hansen T, Pedersen O, Sørensen TI, Jess T: Fatness-associated FTO gene variant increases mortality independent of fatness - In cohorts of Danish men. *PLoS ONE* 2009; 4(2):e4428.

120. Zobel DP, Andreasen CH, Burgdorf KS, Andersson EA, Sandbaek A, Lauritzen T, Borch-Johnsen T, Jørgensen T, Maeda S, Nakamura Y, Eiberg H, Pedersen O, Hansen T: Variation in the gene encoding Krüppel-like factor 7 influences body fat: Studies of 14818 Danes. *European Journal of Endocrinology* 2009; 160(4):603-609.

121. Zobel DP, Andreasen CH, Grarup N, Eiberg H, Sørensen TI, Sandbaek A, Lauritzen T, Borch-Johnsen K, Jørgensen T, Pedersen O, Hansen T: Variants near MC4R are associated with obesity and influence obesity-related quantitative traits in a population of middle-aged people: studies of 14,940 danes. *Diabetes* 2009; 58(3):757-764.

Reviews articles, textbooks etc.

1. Bergholdt R: Understanding type 1 diabetes genetics - Approaches for identification of susceptibility genes in multi-factorial diseases. *Danish Medical Bulletin* 2009; 56(1):1-39.
2. Borch-Johnsen K, Colagiuri S: Diagnosing diabetes-time for a change? *Diabetologia* 2009; 52(11):2247-2250.
3. Carlsson, M, Simovska, V, Jensen, BB: Sundhedspædagogik – teori, forskning og praksis. Aarhus: Aarhus University Press 2009.
4. Hemmingsen B, Lund SS, Vaag A: Anti-diabetic treatment, insulin resistance and cardiovascular disease in patients with type 2 diabetes. *Ugeskrift for læger* 2009; 171(19):1598-1602.
5. Hemmingsen B, Lund SS, Wetterslev J, Vaag A: Oral hypoglycaemic agents, insulin resistance and cardiovascular disease in patients with type 2 diabetes. *European Journal of Endocrinology* 2009; 161(1):1-9.
6. Jensen BB: Sundhedspædagogik indenfor forebyggelse og sundhedsfremme. In: Carlsson M, Simovska V, Jensen B.B. (Eds.) *Sundhedspædagogik og sundhedsfremme – teori, forskning og praksis*. Aarhus University Press 2009; 11-30.
7. Jensen BB: Sundhedspædagogik og Intervention. In: Kamper-Jørgensen F, Almind G, Jensen BB (eds.) *Forebyggende sundhedsarbejde*. Munksgaard 2009; 311-325.
8. Jensen BB: Sundhedspædagogiske kernebegreber. In: Kamper-Jørgensen F, Almind G, Jensen BB (eds.) *Forebyggende sundhedsarbejde*. Munksgaard 2009; 220-238.
9. Jensen, BB, Jensen, JM, Larsen, N, Lorenzo, R: ROSACE – Road Safety Cities in Europe. *Methodological Guidelines towards a Street Safety Education Model*. Barcelona: PAU Education 2009: 47 pp.
10. Kamper-Jørgensen, F, Almind, G, Jensen, BB: *Forebyggende sundhedsarbejde*. København: Munksgaard 2009.
11. Kamper-Jørgensen F, Jensen BB: Forebyggelsesbegreber og sundhedsbegreber. In: Kamper-Jørgensen F, Almind G, Jensen BB (eds.) *Forebyggende sundhedsarbejde*. Munksgaard 2009; 21-42.
12. Lajer MS: Studier af genetiske og ikkegenetiske risikofaktorer involveret i patogenesen og progressionen af diabetisk nefropati blandt patienter med type 1-diabetes. *Ugeskrift for Læger* 2009; 171(17):1415.
13. Lauridsen MH, Boesgaard TW, Pedersen OB, Hansen T, Hertz B: Diabetes in infants may be treated with sulfonylurea as a replacement for insulin. *Ugeskrift for læger* 2009; 171(23):1923-1924.
14. Lund SS, Rossing P, Vaag AA: Follow-up of intensive glucose control in type 2 diabetes [1]. *New England Journal of Medicine* 2009; 360(4):416.
15. Lund SS, Vaag AA, Jensen T: Fasting compared with nonfasting lipids and apolipoproteins for predicting incident cardiovascular events. *Circulation* 2009; 119(13).
16. Onyango-Ouma, W, Lang'oo, D, Jensen, BB: Kenya: Action-oriented and participatory health education in primary schools. In: Whitman, C.V. and Aldinger, C.E. (eds.). *Case Studies in Global Health Promotion – from Research to Practice*. New York: Springer Press 2009; 85-95.
17. Pickersgill LM, Mandrup-Poulsen T: The anti-interleukin-1 in type 1 diabetes action trial--background and rationale. *Diabetes Metab Res Rev* 2009; 25(4):321-324.
18. Vaag A: Low birth weight and early weight gain in the metabolic syndrome: Consequences for infant nutrition. *International Journal of Gynecology and Obstetrics* 2009; 104(SUPPL.):S32-S34.

19. Vaag A: Neuroendocrine, metabolic and pharmacological control of feeding behaviour-closing in on antiobesity treatment. *Journal of Physiology* 2009; 587(1):17-18.
20. Vaag A, Petersen JS: Future breakthroughs in medical treatment of age-related conditions. *Ugeskrift for Laeger* 2009; 171(10):794-796.
21. Vestergaard A, Bredahl K, de Muckadell OB, Pedersen OB, Hansen JM: Bleeding peptic ulcer. Prevalence of *Helicobacter pylori* and use of nonsteroidal anti-inflammatory drugs/acetylsalicylic acid. *Ugeskr Laeger* 2009; 171(4):235-239.

Doctoral Theses

1. Regine Bergholdt. Understanding type 1 diabetes genetics – approaches for identification of susceptibility genes in multi-factorial diseases. Københavns Universitet.

PhD Theses

1. Amra Ciric Alibegovic. Physical inactivity in the pathophysiology of insulin resistance and type 2 diabetes - Lessons from bed rest studie. Københavns Universitet.
2. Caroline Brorsson. Molecular and functional aspects of type 1 diabetes genetics. Københavns Universitet.
3. Charlotte Brøns. Low birth weight and high-fat overfeeding in the pathophysiology of type 2 diabetes - metabolic, genetic transcriptional and epigenetic aspects. Københavns Universitet.
4. Kristine Færch. Pathophysiology and aetiology of impaired fasting glycaemia and impaired glucose tolerance. Københavns Universitet.
5. Lise Wegner. The potential roles of PCK1, TCF7L2 and LMNA in the pathogenesis of type 2 diabetes and related metabolic phenotypes – experimental focus on the impact of genetic variation and gene expression. Københavns Universitet.
6. Maria Stenkil Lajer. Studies of genetic and non-genetic factors involved in the pathogenesis, progression, and treatment of diabetic nephropathy. With focus on Aldosterone synthase, BNP, CYP2C9 and ADMA. Københavns Universitet.
7. Niels Grarup. Genetic aspects of type 2 diabetes and related traits - The past, the present and the future. Københavns Universitet.
8. Signe S. Torekov. Obesity – Is it all in the brain? Genetic aspects of appetite regulation. Københavns Universitet.

Master's Degree dissertations

1. Anders Christian Jensen. Asymptotic Properties of the Restricted Maximum Likelihood Estimators. Københavns Universitet.
2. Nikolaj Thure Krarup. Studies of genes related to impaired pancreatic β -cell function and type 2 diabetes. Københavns Universitet.
3. Laura Irwin Rossing. Genes, elite athletic performance and obesity. Københavns Universitet.
4. Marie Aare Vestmar. Genetic Epidemiological Studies of Variants within TCF7L2 and PCSK1. Københavns Universitet.
5. Tina Fløyel. The role of microRNAs in acquired β -cell sensitivity – in relation to Type 1 Diabetes. Københavns Universitet.