

1. Aagaard-Hansen J, Chagnat C. Neglected tropical disease: Equity and social determinants. In: Erik Blas & Anand Sivasankara Kurup, editor. Equity, social determinants and public health programmes, Geneva. WHO; 2010. p. 135-57.
2. Alibegovic AC, Hojbjerg L, Sonne MP, van HG, Alsted TJ, Kiens B, et al. Increased rate of whole body lipolysis before and after 9 days of bed rest in healthy young men born with low birth weight. *Am J Physiol Endocrinol Metab* 2010 Mar;298(3):E555-E564.
3. Alibegovic AC, Sonne MP, Hojbjerg L, Bork-Jensen J, Jacobsen S, Nilsson E, et al. Insulin resistance induced by physical inactivity is associated with multiple transcriptional changes in skeletal muscle in young men. *American Journal of Physiology - Endocrinology and Metabolism* 2010;299(5):E752-E763.
4. Alibegovic AC, Sonne MP, Hojbjerg L, Hansen T, Pedersen O, van HG, et al. The T-allele of TCF7L2 rs7903146 associates with a reduced compensation of insulin secretion for insulin resistance induced by 9 days of bed rest. *Diabetes* 2010 Apr;59(4):836-43.
5. Alkhalaf A, Bakker SJL, Bilo HJG, Gans ROB, Navis GJ, Postmus D, et al. A polymorphism in the gene encoding carnosinase (CNDP1) as a predictor of mortality and progression from nephropathy to end-stage renal disease in type 1 diabetes mellitus. *Diabetologia* 2010;53(12):2562-8.
6. Alkhalaff A, Zurbig P, Bakker SJL, Bilo HJG, Cerna M, Fischer C, et al. Multicentric validation of proteomic biomarkers in urine specific for diabetic Nephropathy. *PLoS ONE* 2010;5(10).
7. Andersen S, Mischak H, Zurbig P, Parving H-H, Rossing P. Urinary proteome analysis enables assessment of renoprotective treatment in type 2 diabetic patients with microalbuminuria. *BMC Nephrol* 2010;11:29.
8. Andersson C, Olesen JB, Hansen PR, Weeke P, Norgaard ML, Joergensen CH, et al. Metformin treatment is associated with a low risk of mortality in diabetic patients with heart failure: A retrospective nationwide cohort study. *Diabetologia* 2010;53(12):2546-53.
9. Andersson C, Norgaard ML, Hansen PR, Fosbol EL, Schmiegelow M, Weeke P, et al. Heart failure severity, as determined by loop diuretic dosages, predicts the risk of developing diabetes after myocardial infarction: a nationwide cohort study. *Eur J Heart Fail* 2010 Dec;12(12):1333-8.
10. Andersson C, Sogaard P, Hoffmann S, Hansen PR, Vaag A, Major-Pedersen A, et al. Metformin is associated with improved left ventricular diastolic function measured by tissue Doppler imaging in patients with diabetes. *Eur J Endocrinol* 2010 Oct;163(4):593-9.
11. Andersson EA, Pilgaard K, Pisinger C, Harder MN, Grarup N, Faerch K, et al. Do gene variants influencing adult adiposity affect birth weight? a population-based study of 24 loci in 4,744 danish individuals. *PLoS ONE* 2010;5(12).
12. Andersson EA, Pilgaard K, Pisinger C, Harder MN, Grarup N, Faerch K, et al. Type 2 diabetes risk alleles near ADCY5, CDKAL1 and HHEX-IDE are associated with reduced birthweight. *Diabetologia* 2010;53(9):1908-16.
13. Andersson EA, Holst B, Sparsoe T, Grarup N, Banasik K, Holmkvist J, et al. MTNR1B G24E variant associates with BMI and fasting plasma glucose in the general population in studies of 22,142 Europeans. *Diabetes* 2010;59(6):1539-48.
14. Astrup AS, Tarnow L, Jorsal A, Lajer M, Nzietchueng R, Benetos A, et al. Telomere length predicts all-cause mortality in patients with type 1 diabetes. *Diabetologia* 2010;53(1):45-8.
15. Bianchi G, Bugianesi E, Frystyk J, Tarnow L, Flyvbjerg A, Marchesini G. Adiponectin isoforms, insulin resistance and liver histology in nonalcoholic fatty liver disease. *Dig Liver Dis* 2010 Jun 14.

16. Bodvarsdottir TB, Hove KD, Gotfredsen CF, Pridal L, Vaag A, Karlsten AE, et al. Treatment with a proton pump inhibitor improves glycaemic control in Psammomys obesus, a model of type 2 diabetes. *Diabetologia* 2010 Oct;53(10):2220-3.
17. Boesgaard TW, Grarup N, Jorgensen T, Borch-Johnsen K, Hansen T, Pedersen O. Variants at DGKB/TMEM195, ADRA2A, GLIS3 and C2CD4B loci are associated with reduced glucose-stimulated beta cell function in middle-aged Danish people. *Diabetologia* 2010;53(8):1647-55.
18. Borg R, Kuenen JC, Carstensen B, Zheng H, Nathan DM, Heine RJ, et al. Associations between features of glucose exposure and A1C: The A1C-Derived Average Glucose (ADAG) study. *Diabetes* 2010;59(7):1585-90.
19. Borg R, Kuenen JC, Carstensen B, Zheng H, Nathan DM, Heine RJ, et al. Real-life glycaemic profiles in non-diabetic individuals with low fasting glucose and normal HbA1c: The A1C-Derived Average Glucose (ADAG) study. *Diabetologia* 2010;53(8):1608-11.
20. Borg R, Vistisen D, Witte DR, Borch-Johnsen K. Comparing risk profiles of individuals diagnosed with diabetes by OGTT and HbA1c The Danish Inter99 study. *Diabetic Medicine* 2010;27(8):906-10.
21. Brons C, Jacobsen S, Nilsson E, Ronn T, Jensen CB, Storgaard H, et al. Deoxyribonucleic acid methylation and gene expression of PPARGC1A in human muscle is influenced by high-fat overfeeding in a birth-weight-dependent manner. *J Clin Endocrinol Metab* 2010 Jun;95(6):3048-56.
22. Brorsson C, Hansen NT, Bergholdt R, Brunak S, Pociot F. The type 1 diabetes - HLA susceptibility interactome - Identification of HLA genotype-specific disease genes for type 1 diabetes. *PLoS ONE* 2010;5(3).
23. Bruun B, Aagaard-Hansen J. The socio-cultural context of schistosomiasis control. An introduction and annotated bibliography. Chinese version. Beijing: People's Health Publisher; 2010.
24. Burgdorf KS, Sandholt CH, Sparsø T, Andersen G, Witte DR, Jørgensen T, et al. Studies of association between LPIN1 variants and common metabolic phenotypes among 17 538 Danes. *European Journal of Endocrinology* 2010;163(1):81-7.
25. Carstensen B. Comment on: Yang et al. (2010) Associations of hyperglycemia and insulin usage with the risk of cancer in type 2 diabetes: The Hong Kong diabetes registry. *Diabetes*;59:1254-1260. *Diabetes* 2010;59(9):e17-e18.
26. Carstensen B. Comparing methods of measurement: Extending the LoA by regression. *Statistics in Medicine* 2010;29(3):401-10.
27. Carstensen M, Herder C, Kivimäki M, Jokela M, Roden M, Shipley MJ, et al. Accelerated increase in serum interleukin-1 receptor antagonist starts 6 years before diagnosis of type 2 diabetes: Whitehall II prospective cohort study. *Diabetes* 2010;59(5):1222-7.
28. Carstensen M, Herder C, Brunner EJ, Strassburger K, Tabak AG, Roden M, et al. Macrophage inhibitory cytokine-1 is increased in individuals before type 2 diabetes diagnosis but is not an independent predictor of type 2 diabetes: The Whitehall II study. *European Journal of Endocrinology* 2010;162(5):913-7.
29. Cervin C, Axler O, Holmkvist J, Almgren P, Rantala E, Tuomi T, et al. An investigation of serum concentration of apoM as a potential MODY3 marker using a novel ELISA: Original Article. *Journal of Internal Medicine* 2010;267(3):316-21.
30. Christensen DL, Witte DR, Kaduka L, Jørgensen ME, Borch-Johnsen K, Mohan V, et al. Moving to an A1C-based diagnosis of diabetes has a different impact on prevalence in different ethnic groups. *Diabetes Care* 2010;33(3):580-2.
31. Christensen TF, Tarnow L, Randlov J, Kristensen LE, Struijk JJ, Eldrup E, et al. QT interval prolongation during spontaneous episodes of hypoglycaemia in type 1 diabetes: the impact of heart rate correction. *Diabetologia* 2010 Sep;53(9):2036-41.

32. Christiansen MS, Hesse D, Ekbom P, Hesse U, Damm P, Hommel E, et al. Increased urinary orosomucoid excretion predicts preeclampsia in pregnant women with pregestational type 1 diabetes. *Diabetes Research and Clinical Practice* 2010;89(1):16-21.
33. Christiansen MS, Hommel E, Friberg L, Molvig J, Magid E, Feldt-Rasmussen B. Increased urinary orosomucoid excretion is not related to impaired renal function in patients with type 2 diabetes. *J Diabetes Complications* 2010 Jan;24(1):28-36.
34. Christiansen MS, Hommel E, Friberg L, Molvig J, Magid E, Feldt-Rasmussen B. Increased urinary orosomucoid excretion is not related to impaired renal function in patients with type 2 diabetes. *J Diabetes Complications* 2010 Jan;24(1):28-36.
35. Corpeleijn E, Petersen L, Holst C, Saris WH, Astrup A, Langin D, et al. Obesity-related polymorphisms and their associations with the ability to regulate fat oxidation in obese Europeans: The NUGENOB study. *Obesity* 2010;18(7):1369-77.
36. Dalsgaard EM, Christensen JO, Skriver MV, Borch-Johnsen K, Lauritzen T, Sandbaek A. Comparison of different stepwise screening strategies for type 2 diabetes: Finding from Danish general practice, Addition-DK. *Primary Care Diabetes* 2010;4(4):223-9.
37. Delles C, Schiffer E, Von Zur Muhlen C, Peter K, Rossing P, Parving HH, et al. Urinary proteomic diagnosis of coronary artery disease: Identification and clinical validation in 623 individuals. *Journal of Hypertension* 2010;28(11):2316-22.
38. Dinarello C, Arend W, Sims J, Smith D, Blumberg H, O'Neill L, et al. IL-1 family nomenclature. *Nature Immunology* 2010;11(11):973.
39. Dupuis J, Langenberg C, Prokopenko I, Saxena R, Soranzo N, Jackson AU, et al. New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. *Nature Genetics* 2010;42(2):105-16.
40. Engberg S, Glymer C, Witte DR, Jørgensen T, Borch-Johnsen K. Differential relationship between physical activity and progression to diabetes by glucose tolerance status: The Inter99 Study. *Diabetologia* 2010;53(1):70-8.
41. Eugen-Olsen J, Andersen O, Linneberg A, Ladelund S, Hansen TW, Langkilde A, et al. Circulating soluble urokinase plasminogen activator receptor predicts cancer, cardiovascular disease, diabetes and mortality in the general population. *Journal of Internal Medicine* 2010;268(3):296-308.
42. Friedrichsen M, Poulsen P, Richter EA, Hansen BF, Birk JB, Ribøl-Madsen R, et al. Differential aetiology and impact of phosphoinositide 3-kinase (PI3K) and Akt signalling in skeletal muscle on in vivo insulin action. *Diabetologia* 2010;53(9):1998-2007.
43. Færch K, Borch-Johnsen K, Vaag A, Jørgensen T, Witte DR. Sex differences in glucose levels: a consequence of physiology or methodological convenience? The Inter99 study. *Diabetologia*. In press 2010.
44. Fosgerau K, Galle P, Hansen T, Albrechtsen A, De Lemos Rieper C, Pedersen BK, et al. Interleukin-6 autoantibodies are involved in the pathogenesis of a subset of type 2 diabetes. *Journal of Endocrinology* 2010;204(3):265-73.
45. Friedrichsen M, Ribøl-Madsen R, Wojtaszewski J, Grønnet L, Richter EA, Billestrup N, et al. Dissociation between skeletal muscle inhibitor-B kinase/nuclear factor-B pathway activity and insulin sensitivity in nondiabetic twins. *Journal of Clinical Endocrinology and Metabolism* 2010;95(1):414-21.
46. Gallwitz B, Vaag A, Falahati A, Madsbad S. Adding liraglutide to oral antidiabetic drug therapy: onset of treatment effects over time. *Int J Clin Pract* 2010 Jan;64(2):267-76.
47. Gjesing AP, Larsen LH, Torekov SS, Hainerová IA, Kapur R, Johansen A, et al. Family and population-based studies of variation within the ghrelin receptor locus in relation to measures of obesity. *PLoS ONE* 2010;5(4).

48. Grau K, Cauchi S, Holst C, Astrup A, Martinez JA, Saris WHM, et al. TCF7L2 rs7903146-macronutrient interaction in obese individuals' responses to a 10-wk randomized hypoenergetic diet. *American Journal of Clinical Nutrition* 2010;91(2):472-9.
49. Gretarsdottir S, Baas AF, Thorleifsson G, Holm H, den HM, de Vries JP, et al. Genome-wide association study identifies a sequence variant within the DAB2IP gene conferring susceptibility to abdominal aortic aneurysm. *Nat Genet* 2010 Aug;42(8):692-7.
50. Guldborg TL, Vedsted P, Lauritzen T, Zoffmann V. Suboptimal quality of type 2 diabetes care discovered through electronic feedback led to increased nurse-GP cooperation. A qualitative study. *Primary Care Diabetes* 2010;4(1):33-9.
51. Hansen HG, Overgaard J, Lajer M, Hubalek F, Hojrup P, Pedersen L, et al. Finding diabetic nephropathy biomarkers in the plasma peptidome by high-throughput magnetic bead processing and MALDI-TOF-MS analysis. *Proteomics - Clinical Applications* 2010;4(8-9):697-705.
52. Haugaard SB, Madsbad S, Mu H, Vaag A. Desaturation of excess intramyocellular triacylglycerol in obesity: implications for glycemic control. *Int J Obes (Lond)* 2010 Mar;34(3):500-10.
53. Heid IM, Jackson AU, Randall JC, Winkler TW, Qi L, Steinthorsdottir V, et al. Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. *Nature Genetics* 2010;42(11):949-60.
54. Hojbjerg L, Sonne MP, Alibegovic AC, Dela F, Vaag A, Meldgaard JB, et al. Impact of physical inactivity on subcutaneous adipose tissue metabolism in healthy young male offspring of patients with type 2 diabetes. *Diabetes* 2010;59(11):2790-8.
55. Hove KD, Faerch K, Bodvarsdottir TB, Karlsen AE, Petersen JS, Vaag A. Treatment with a proton pump inhibitor improves glycaemic control in type 2 diabetic patients - a retrospective analysis. *Diabetes Research and Clinical Practice* 2010;90(3):e72-e74.
56. Husemoen LLN, Jorgensen T, Borch-Johnsen K, Hansen T, Pedersen O, Linneberg A. The association of alcohol and alcohol metabolizing gene variants with diabetes and coronary heart disease risk factors in a white population. *PLoS ONE* 2010;5(8).
57. Jorgensen CH, Gislason GH, Andersson C, Ahlehoff O, Charlot M, Schramm TK, et al. Effects of oral glucose-lowering drugs on long term outcomes in patients with diabetes mellitus following myocardial infarction not treated with emergent percutaneous coronary intervention--a retrospective nationwide cohort study. *Cardiovasc Diabetol* 2010;9:54.
58. Jouve J, Aagaard-Hansen J, Aidara-Kara A. Food safety: Equity and social determinants. Equity, social determinants and public health programmes, Geneva. Erik Blas & Anand Sivasankara Kurup ed. WHO; 2010. p. 95-114.
59. Kahn R, Alperin P, Eddy D, Borch-Johnsen K, Buse J, Feigelman J, et al. Age at initiation and frequency of screening to detect type 2 diabetes: a cost-effectiveness analysis. *Lancet* 2010 Apr 17;375(9723):1365-74.
60. Kirkeby IM, Jensen BB, Kural R, Larsen, K. Viden og vidensformer i arkitektur, pædagogik og sundhed. I. Kunstakademiets Arkitektskoles Forlag 2010;118-34.
61. Kivimäki M, Tabak AG, Batty GD, Ferrie JE, Nabi H, Marmot MG, et al. Incremental predictive value of adding past blood pressure measurements to the framingham hypertension risk equation: The whitehall II study. *Hypertension* 2010;55(4):1058-62.
62. Koefoed M, Larsen CM, Faulenbach MV, Vaag A, Ehses JA, Donath MY, et al. Serum proteome pool changes in type 2 diabetic patients treated with anakinra. *Clinical Proteomics* 2010;6(4):153-61.
63. Lajer M, Tarnow I, Michelson AD, Jorsal A, Frelinger AL, Parving H-H, et al. Soluble CD40 ligand is elevated in Type 1 diabetic nephropathy but not predictive of mortality, cardiovascular events or kidney function. *Platelets* 2010;21(7):525-32.

64. Lajer M, Jorsal A, Tarnow L, Parving H-H, Rossing P. Plasma growth differentiation factor-15 independently predicts all-cause and cardiovascular mortality as well as deterioration of kidney function in type 1 diabetic patients with nephropathy. *Diabetes Care* 2010;33(7):1567-72.
65. Linneberg A, Gonzalez-Quintela A, Vidal C, Jørgensen T, Fenger M, Hansen T, et al. Genetic determinants of both ethanol and acetaldehyde metabolism influence alcohol hypersensitivity and drinking behaviour among Scandinavians. *Clinical and Experimental Allergy* 2010;40(1):123-30.
66. Lundby-Christensen L, Almdal TP, Carstensen B, Tarnow L, Wiinberg N. Carotid intima-media thickness in individuals with and without type 2 diabetes: and reproducibility study. *Cardiovascular Diabetology* 2010;9.
67. Maahs DM, Siwy J, Argiles A, Cerna M, Delles C, Dominiczak AF, et al. Urinary collagen fragments are significantly altered in diabetes: A link to pathophysiology. *PLoS ONE* 2010;5(9).
68. Maeda S, Kobayashi MA, Araki SI, Babazono T, Freedman BI, Bostrom MA, et al. A single nucleotide polymorphism within the acetyl-coenzyme A carboxylase beta gene is associated with proteinuria in patients with type 2 diabetes. *PLoS Genetics* 2010;6(2).
69. Magnussen R, Hanghøj T. Rethinking Design-Based Research: Redefining 'Design' in Relation to Educational Games. *Global Learn Asia Pacific (Global Learn) 2010 AACE* 2010;1592-601.
70. McGuire BE, Morrison TG, Hermanns N, Skovlund S, Eldrup E, Gagliardino J, et al. Short-form measures of diabetes-related emotional distress: the Problem Areas in Diabetes Scale (PAID)-5 and PAID-1. *Diabetologia* 2010 Jan;53(1):66-9.
71. McGuire JN, Eising S, Wegner AM, Pociot F. Screening newborns for candidate biomarkers of type 1 diabetes. *Archives of Physiology and Biochemistry* 2010;116(4-5):227-32.
72. Meur G, Simon A, Harun N, Virally M, Dechaume A, Bonnefond A, et al. Insulin gene mutations resulting in early-onset diabetes: Marked differences in clinical presentation, metabolic status, and pathogenic effect through endoplasmic reticulum retention. *Diabetes* 2010;59(3):653-61.
73. Moller JB, Overgaard RV, Madsen H, Hansen T, Pedersen O, Ingwersen SH. Predictive performance for population models using stochastic differential equations applied on data from an oral glucose tolerance test. *Journal of Pharmacokinetics and Pharmacodynamics* 2010;37(1):85-98.
74. Moller M, Lund-Andersen C, Rosing L, Sparre T, Bache N, Roepstorff P, et al. Proteomics of the photoneuroendocrine circadian system of the brain. *Mass Spectrometry Reviews* 2010;29(2):313-25.
75. Mubyazi GM, Bloch P, Magnussen P, Olsen OE, Byskov J, Hansen KS, et al. Women's experiences and views about costs of seeking malaria chemoprevention and other antenatal services: a qualitative study from two districts in rural Tanzania. *Malar J* 2010;9:54.
76. Nielsen SE, Schjoedt KJ, Astrup AS, Tarnow L, Lajer M, Hansen PR, et al. Neutrophil gelatinase-associated lipocalin (NGAL) and kidney injury molecule 1 (KIM1) in patients with diabetic nephropathy: A cross-sectional study and the effects of lisinopril. *Diabetic Medicine* 2010;27(10):1144-50.
77. Nielsen SE, Sugaya T, Hovind P, Baba T, Parving H-H, Rossing P. Urinary liver-type fatty acid-binding protein predicts progression to nephropathy in type 1 diabetic patients. *Diabetes Care* 2010;33(6):1320-4.
78. Nin JWM, Jorsal A, Ferreira I, Schalkwijk CG, Prins MH, Parving H-H, et al. Higher plasma soluble receptor for advanced glycation end products (sRAGE) levels are associated with incident cardiovascular disease and all-cause mortality in type 1 diabetes: A 12-year follow-up study. *Diabetes* 2010;59(8):2027-32.
79. Norgaard ML, Andersen SS, Schramm TK, Folke F, Jorgensen CH, Hansen ML, et al. Changes in short- and long-term cardiovascular risk of incident diabetes and incident myocardial infarction-a nationwide study. *Diabetologia* 2010;53(8):1612-9.

80. Nyambedha EO, Aagaard-Hansen J. Educational consequences of orphanhood and poverty in western Kenya. *Educational Studies* 2010;36(5):555-67.
81. Okamoto K, Iwasaki N, Nishimura C, Doi K, Noiri E, Nakamura S, et al. Identification of KCNJ15 as a susceptibility gene in Asian patients with type 2 diabetes mellitus. *Am J Hum Genet* 2010 Jan;86(1):54-64.
82. Olang'o CO, Nyamongo IK, Aagaard-Hansen J. Staff attrition among community health workers in home-based care programmes for people living with HIV and AIDS in western Kenya. *Health Policy* 2010;97(2-3):232-7.
83. Ostri C, Lund-Andersen H, Sander B, Hvidt-Nielsen D, Larsen M. Bilateral diabetic papillopathy and metabolic control. *Ophthalmology* 2010;117(11):2214-7.
84. Overgaard AJ, Hansen HG, Lajer M, Pedersen L, Tarnow L, Rossing P, et al. Plasma proteome analysis of patients with type 1 diabetes with diabetic nephropathy. *Proteome Science* 2010;8.
85. Overgaard AJ, Thingholm TE, Larsen MR, Tarnow L, Rossing P, McGuire JN, et al. Quantitative iTRAQ-based proteomic identification of candidate biomarkers for diabetic nephropathy in plasma of type 1 diabetic patients. *Clinical Proteomics* 2010;6(4):105-14.
86. Pedersen ML, Jacobsen JL, Jorgensen ME. Prevalence of gestational diabetes mellitus among women born in Greenland: Measuring the effectiveness of the current screening procedure. *International Journal of Circumpolar Health* 2010;69(4):352-60.
87. Persson F, Rossing P, Reinhard H, Juhl T, Stehouwer CDA, Schalkwijk C, et al. Optimal antiproteinuric dose of aliskiren in type 2 diabetes mellitus: A randomised crossover trial. *Diabetologia* 2010;53(8):1576-80.
88. Persson F, Lewis JB, Lewis EJ, Rossing P, Hollenberg NK, Parving H-H. Impact of baseline renal function on the efficacy and safety of aliskiren added to losartan in patients with type 2 diabetes and nephropathy. *Diabetes Care* 2010 Nov;33(11):2304-9.
89. Pilgaard K, Faerch K, Carstensen B, Poulsen P, Pisinger C, Pedersen O, et al. Low birthweight and premature birth are both associated with type 2 diabetes in a random sample of middle-aged Danes. *Diabetologia* 2010;53(12):2526-30.
90. Pruhova S, Dusatkova P, Sumnik Z, Kolouskova S, Pedersen O, Hansen T, et al. Glucokinase diabetes in 103 families from a country-based study in the Czech Republic: Geographically restricted distribution of two prevalent GCK mutations. *Pediatric Diabetes* 2010;11(8):529-35.
91. Rabol R, Larsen S, Hojberg PM, Almdal T, Boushel R, Haugegaard SB, et al. Regional anatomic differences in skeletal muscle mitochondrial respiration in type 2 diabetes and obesity. *J Clin Endocrinol Metab* 2010 Feb;95(2):857-63.
92. Reiling E, Jafar-Mohammadi B, Van 'T Riet E, Weedon MN, Van Vliet-Ostaptchouk JV, Hansen T, et al. Genetic association analysis of LARS2 with type 2 diabetes. *Diabetologia* 2010;53(1):103-10.
93. Reinhard H, Karl Jacobsen P, Lajer M, Pedersen N, Billestrup N, Mandrup-Poulsen T, et al. Multifactorial treatment increases endothelial progenitor cells in patients with type 2 diabetes. *Diabetologia* 2010;53(10):2129-33.
94. Ribel-Madsen R, Poulsen P, Holmkvist J, Mortensen B, Grarup N, Friedrichsen M, et al. Impact of rs361072 in the phosphoinositide 3-kinase p110beta gene on whole-body glucose metabolism and subunit protein expression in skeletal muscle. *Diabetes* 2010 Apr;59(4):1108-12.
95. Saxena R, Hivert MF, Langenberg C, Tanaka T, Pankow JS, Vollenweider P, et al. Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. *Nature Genetics* 2010;42(2):142-8.

96. Skriver MV, Borch-Johnsen K, Lauritzen T, Sandbaek A. HbA1c as predictor of all-cause mortality in individuals at high risk of diabetes with normal glucose tolerance, identified by screening: A follow-up study of the Anglo-Danish-Dutch Study of Intensive Treatment in People with Screen-Detected Diabetes in Primary Care (ADDITION), Denmark. *Diabetologia* 2010;53(11):2328-33.
97. Sonne MP, Alibegovic AC, Hojbjerg L, Vaag A, Stallknecht B, Dela F. Effect of 10 days of bedrest on metabolic and vascular insulin action: A study in individuals at risk for type 2 diabetes. *Journal of Applied Physiology* 2010;108(4):830-7.
98. Sonne MP, Hojbjerg L, Alibegovic AC, Vaag A, Stallknecht B, Dela F. Diminished insulin-mediated forearm blood flow and muscle glucose uptake in young men with low birth weight. *J Vasc Res* 2010;47(2):139-47.
99. Speliotes EK, Willer CJ, Berndt SI, Monda KL, Thorleifsson G, Jackson AU, et al. Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. *Nature Genetics* 2010;42(11):937-48.
100. Stevens LA, Schmid CH, Zhang YL, Coresh J, Manzi J, Landis R, et al. Development and validation of GFR-estimating equations using diabetes, transplant and weight. *Nephrology Dialysis Transplantation* 2010;25(2):449-57.
101. Strandberg-Larsen M, Schiøtz ML, Silver JD, Frølich A, Andersen JS, Graetz I, et al. Is the Kaiser Permanente model superior in terms of clinical integration?: a comparative study of Kaiser Permanente, Northern California and the Danish healthcare system. *BMC Health Serv Res* 2010;10:91.
102. Tabák AG, Kivimäki M, Brunner EJ, Lowe GD, Jokela M, et al. Changes in C-reactive protein levels before type 2 diabetes and cardiovascular death: The Whitehall II study. *European Journal of Endocrinology* 2010;163(1):89-95.
103. Tobgay, Tashi, Tandin, Rai, Manusika, aagaard-hansen j, et al. Prescribing pattern of higher generation antibiotics in the out-patient setting in Bhutan hospitals. *Asian Biomedicine* 2010;4(2):349-53.
104. Tuba M, Sandoy IF, Bloch P, Byskov J. Fairness and legitimacy of decisions during delivery of malaria services and ITN interventions in zambia. *Malaria Journal* 2010;9(1).
105. Wegner L, Anthonsen S, Bork-Jensen J, Dalgaard L, Hansen T, Pedersen O, et al. LMNA rs4641 and the muscle lamin A and C isoforms in twins - Metabolic implications and transcriptional regulation. *Journal of Clinical Endocrinology and Metabolism* 2010;95(8):3884-92.
106. Wistoft K, Grabowski D. Mental sundhed i skolen - Evidensbaseret grundlag for fremme af børns mentale sundhed. Forlaget Lundtofte 2010.
107. Witte DR, Shipley MJ, Marmot MG, Brunner EJ. Performance of existing risk scores in screening for undiagnosed diabetes: An external validation study. *Diabetic Medicine* 2010;27(1):46-53.
108. Yamauchi T, Hara K, Maeda S, Yasuda K, Takahashi A, Horikoshi M, et al. A genome-wide association study in the Japanese population identifies susceptibility loci for type 2 diabetes at UBE2E2 and C2CD4A-C2CD4B. *Nat Genet* 2010 Oct;42(10):864-8.
109. Zhang P, Zhang X, Brown J, Vistisen D, Sicree R, Shaw J, et al. Global healthcare expenditure on diabetes for 2010 and 2030. *Diabetes Research and Clinical Practice* 2010;87(3):293-301.
110. Zobel DP, Andreasen CH, Burgdorf KS, Andersson EA, Sandbak A, Lauritzen T, et al. Variation in the gene encoding kr++ppel-like factor 7 influences body fat: Studies of 14 818 danes (European Journal of Endocrinology (2010) 162 (191)). *European Journal of Endocrinology* 2010;162(1):191.

Review articles, textbooks etc.

1. Aagaard-Hansen J, Nombela N, Alvar J. Population movement: a key factor in the epidemiology of neglected tropical diseases. *Trop Med Int Health* 2010 Nov;15(11):1281-8.
2. Borch-Johnsen K, Wareham N. The rise and fall of the metabolic syndrome. *Diabetologia* 2010;53(4):597-9.
3. Caramori MLA, Rossing P, Mauer M. Diabetic Nephropathy. In: Jameson JL, De Groot LJ, editors. *Endocrinology Adult and Pediatric*. 6th ed. Saunders; 2011. p. 999-1030.
4. Dominiczak AF, Herget-Rosenthal S, Delles C, Fliser D, Fournier I, Graber A, et al. Systems biology to battle vascular disease. *Nephrology Dialysis Transplantation* 2010;25(4):1019-22.
5. Faerch K, Brons C, Alibegovic AC, Vaag A. The disposition index: adjustment for peripheral vs. hepatic insulin sensitivity? *J Physiol* 2010 Mar 1;588(Pt 5):759-64.
6. Guldberg TL, Vedsted P, Lauritzen T, Zoffmann V. Suboptimal quality of type 2 diabetes care discovered through electronic feedback led to increased nurse-GP cooperation. A qualitative study. *Prim Care Diabetes* 2010 Apr;4(1):33-9.
7. Jensen BB. Pædagogik skal bane vejen. *Behandlerbladet* , 12-16. 2010.
8. Kural R, Jensen BB, Kirkeby IM. *AproPOS - Arkitektur, Pædagogik og Sundhed*. Kunstakademiets Arkitektskoles Forlag; 2010.
9. Kural R, Jensen BB, Kirkeby IM. *Skolereform - arkitektur, pædagogik og sundhed*. I. *AproPOS - Arkitektur, Pædagogik og Sundhed*. Kunstakademiets Arkitektskoles Forlag; 2010. p. 4-9.
10. Lund SS, Vaag AA. Insulin regimens in type 2 diabetes [5]. *New England Journal of Medicine* 2010;362(10):959.
11. Lund SS. Ischaemic conditioning for myocardial salvage after AMI. *The Lancet* 2010;375(9727):1691-2.
12. Mischak H, Rossing P. Proteomic biomarkers in diabetic nephropathy-Reality or future promise? *Nephrology Dialysis Transplantation* 2010;25(9):2843-5.
13. Rabol R, Larsen S, Hojberg PM, Almdal T, Boushel R, Haugaard SB, et al. Regional anatomic differences in skeletal muscle mitochondrial respiration in type 2 diabetes and obesity. *J Clin Endocrinol Metab* 2010 Feb;95(2):857-63.
14. Rabol R, Boushel R, Almdal T, Hansen CN, Ploug T, Haugaard SB, et al. Opposite effects of pioglitazone and rosiglitazone on mitochondrial respiration in skeletal muscle of patients with type 2 diabetes. *Diabetes Obes Metab* 2010 Sep;12(9):806-14.
15. Rytter L, Borch-Johnsen K. Fra evidensbaseret medicin til evidensbaseret organisation (in Danish). *Ugeskr Laeger* 2010 Mar 8;172(10):770.

Doctoral thesis

Pernille Poulsen, læge, PhD. "Aetiology of Type 2 diabetes and associated defects of metabolism". Auditoriet, Winsløwparken 25, 5000 Odense C. April 2010.

Anne Sofie Astrup, læge. "Cardiovascular morbidity and mortality in diabetes mellitus". Hagedorn Auditoriet, Steno Diabetes Center. April 2010.

Katrine Jordan Schjødt, læge: "The rennin-angiotensin-aldosterone system and its blockade in diabetic nephropathy". Hagedorn Auditoriet, Steno Diabetes Center. December 2010.

PhD theses

Susanne Engberg den 8. januar 2010

Title: Progression to diabetes in a general Danish population

Supervisors: Professor, director Knut Borch-Johnse, DMSc, Steno Diabetes Center, Gentofte, Denmark, Professor, director Torben Jørgensen, DMSc, Research Centre for Prevention and Health, the Capital Region of Denmark, Glostrup, Denmark, Head of department Charlotte Glumer, PhD, Research Center for Prevention and Health, the Capital Region of Denmark, Glostrup, Denmark

Rikke Borg den 29 marts 2010

Title: Clinical implications of glucose exposure: Features of glycaemia and the risk of cardiovascular disease

Supervisors: Professor, director Knut Borch-Johnse, DMSc, Steno Diabetes Center, Gentofte, Denmark, Professor Jørn Nerup, DMSc, Steno Diabetes Center, Gentofte, Denmark

Lise Højbjerg december 2010

Title: "Physical inactivity, adipose tissue metabolism and inflammation in type 2 diabetes predisposition".

Master's Degree Dissertations

Julie Wessel Iversen "24-hour profiles of leptin, ghrelin and free fatty acids in young men born with low birth weight." Forsvar afholdt v. Department of Human Nutrition, Faculty of Life Sciences, University of CPH. d. 19. Januar 2010.

Ann Bech Roskjær "36 timers faste hos unge mænd med lav fødselsvægt og kontroller med normal fødselsvægt." September 2010.

Linn Gillberg: "DNA methylation of PPARGC1A in individuals predisposed to type 2 diabetes". Oktober 2010.

Rikke Weise Wittrock Hansen: "The effect of acute exercise on gene expression in skeletal muscle of young healthy men with low birth weight and matched controls". November 2010.

Daniel Christophersen: "Regulatory mechanisms of the expression of miR15 and miR16 in skeletal muscle in twins and their impact on in vivo metabolism". December 2010.