

Research and scientific articles

Steno Diabetes Center

Q1 + Q2 2011



1. Al-Qaoud TM, Nitsch D, Wells J, Witte DR, Brunner EJ. Socioeconomic Status and Reduced Kidney Function in the Whitehall II Study: Role of Obesity and Metabolic Syndrome. *American Journal of Kidney Diseases*. In press 2011.
2. Alsema M, Vistisen D, Heymans MW, Nijpels G, Glymer C, Zimmet PZ, et al. The evaluation of screening and early detection strategies for type 2 diabetes and impaired glucose tolerance (DETECT-2) update of the finnish diabetes risk score for prediction of incident type 2 diabetes. *Diabetologia* 2011;54(5):1004-12.
3. Astor BC, Matsushita K, Gansevoort RT, van d, V, Woodward M, Levey AS, et al. Lower estimated glomerular filtration rate and higher albuminuria are associated with mortality and end-stage renal disease. A collaborative meta-analysis of kidney disease population cohorts. *Kidney Int* 2011 Jun;79(12):1331-40.
4. Banasik K, Justesen JM, Hornbak M, Krarup NT, Gjesing AP, Sandholt CH, et al. Bioinformatics-driven identification and examination of candidate genes for non-alcoholic fatty liver disease. *PLoS ONE* 2011;6(1).
5. Banasik K, Ribel-Madsen R, Gjesing AP, Wegner L, Andersson A, Poulsen P, et al. The FOXO3A rs2802292 G-allele associates with improved peripheral and hepatic insulin sensitivity and increased skeletal muscle-FOXO3A mRNA expression in twins. *Journal of Clinical Endocrinology and Metabolism* 2011;96(1):E119-E124.
6. Bang-Berthelsen CH, Pedersen L, Fløyel T, Hagedorn PH, Gylvin T, Pociot F. Independent component and pathway-based analysis of miRNA-regulated gene expression in a model of type 1 diabetes. *BMC Genomics* 2011;12.
7. Bianchi G, Bugianesi E, Frystyk J, Tarnow L, Flyvbjerg A, Marchesini G. Adiponectin isoforms, insulin resistance and liver histology in nonalcoholic fatty liver disease. *Digestive and Liver Disease* 2011;43(1):73-7.
8. Bille DS, Banasik K, Justesen JM, Sandholt CH, Sandbæk A, Lauritzen T, et al. Implications of central obesity-related variants in LYPLAL1, NRXN3, MSRA, and TFAP2B on quantitative metabolic traits in adult danes. *PLoS ONE* 2011;6(6).
9. Borg R, Kuenen JC, Carstensen B, Zheng H, Nathan DM, Heine RJ, et al. HbA1c and mean blood glucose show stronger associations with cardiovascular disease risk factors than do postprandial glycemia or glucose variability in persons with diabetes: The A1C-Derived Average Glucose (ADAG) study. *Diabetologia* 2011;54(1):69-72.
10. Broedbaek K, Henriksen T, Weimann A, Petersen M, Andersen JT, Afzal S, et al. Long-term effects of irbesartan treatment and smoking on nucleic acid oxidation in patients with type 2 diabetes and microalbuminuria: An irbesartan in patients with type 2 diabetes and microalbuminuria (IRMA 2) sub-study. *Diabetes Care* 2011;34(5):1192-8.
11. Broedbaek K, Ribel-Madsen R, Henriksen T, Weimann A, Petersen M, Andersen JT, et al. Genetic and environmental influences on oxidative damage assessed in elderly Danish twins. *Free Radical Biology and Medicine* 2011;50(11):1488-91.
12. Brorsson C, Vaziri-Sani F, Bergholdt R, Eising S, Nilsson A, Svensson J, et al. Correlations between islet autoantibody specificity and the SLC30A8 genotype with HLA-DQB1 and metabolic control in new onset type 1 diabetes. *Autoimmunity* 2011;44(2):107-14.
13. Brunner EJ, Shipley MJ, Witte DR, Singh-Manoux A, Britton AR, Tabak AG, et al. Arterial stiffness, physical function, and functional limitation: the Whitehall II Study. *Hypertension* 2011 May;57(5):1003-9.

14. Burgdorf KS, Grarup N, Justesen JM, Harder MN, Witte DR, Jørgensen T, et al. Studies of the association of Arg72Pro of tumor suppressor protein p53 with type 2 diabetes in a combined analysis of 55,521 Europeans. *PLoS ONE* 2011;6(1).
15. Carstensen B, Plummer M. Using Lexis objects for multi-state models in R. *Journal of Statistical Software* 2011;38(6):1-18.
16. Colagiuri S, Lee CMY, Wong TY, Balkau B, Shaw JE, Borch-Johnsen K. Glycemic thresholds for diabetes-specific retinopathy: Implications for diagnostic criteria for diabetes. *Diabetes Care* 2011;34(1):145-50.
17. Daniel CR, Prabhakaran D, Kapur K, Graubard BI, Devasenapathy N, Ramakrishnan L, et al. A cross-sectional investigation of regional patterns of diet and cardio-metabolic risk in India. *Nutrition Journal* 2011;10(1).
18. Dendooven A, Nguyen TQ, Brosens L, Li D, Tarnow L, Parving H-H, et al. The CTGF -945GC polymorphism is not associated with plasma CTGF and does not predict nephropathy or outcome in type 1 diabetes. *Journal of Negative Results in BioMedicine* 2011;10(1).
19. Eising S, Nilsson A, Carstensen B, Hougaard DM, Nørgaard-Pedersen B, Nerup J, et al. Danish children born with glutamic acid decarboxylase-65 and islet antigen-2 autoantibodies at birth had an increased risk to develop type 1 diabetes. *European Journal of Endocrinology* 2011;164(2):247-52.
20. Engelen L, Lund SS, Ferreira I, Tarnow L, Parving H-H, Gram J, et al. Improved glycemic control induced by both metformin and repaglinide is associated with a reduction in blood levels of 3-deoxyglucosone in nonobese patients with type 2 diabetes. *European Journal of Endocrinology* 2011;164(3):371-9.
21. Fabricius-Bjerre S, Jensen RB, Færch K, Larsen T, Mølgaard C, Michaelsen KF, et al. Impact of birth weight and early infant weight gain on insulin resistance and associated cardiovascular risk factors in adolescence. *PLoS ONE* 2011;6(6).
22. Ferrucci LM, Daniel CR, Kapur K, Chadha P, Shetty H, Graubard BI, et al. Measurement of spices and seasonings in India: opportunities for cancer epidemiology and prevention. *Asian Pac J Cancer Prev* 2010;11(6):1621-9.
23. Gjesing AP, Kjems LL, Vestmar MA, Grarup N, Linneberg A, Deacon CF, et al. Carriers of the TCF7L2 rs7903146 TT genotype have elevated levels of plasma glucose, serum proinsulin and plasma gastric inhibitory polypeptide (GIP) during a meal test. *Diabetologia* 2011;54(1):103-10.
24. Gonsorcikova L, Vaxillaire M, Pruhova S, Dechaume A, Dusatkova P, Cinek O, et al. Familial mild hyperglycemia associated with a novel ABCC8-V84I mutation within three generations. *Pediatric Diabetes* 2011;12(3 PART 2):266-9.
25. Grarup N, Overvad M, Sparsø T, Witte DR, Pisinger C, Jørgensen T, et al. The diabetogenic VPS13C/C2CD4A/C2CD4B rs7172432 variant impairs glucose-stimulated insulin response in 5,722 non-diabetic Danish individuals. *Diabetologia* 2011;54(4):789-94.
26. Henriksen K, Byrjalsen I, Qvist P, Beck-Nielsen H, Hansen G, Riis BJ, et al. Efficacy and safety of the PPARgamma partial agonist balaglitazone compared with pioglitazone and placebo: a phase III, randomized, parallel-group study in patients with type 2 diabetes on stable insulin therapy. *Diabetes Metab Res Rev* 2011 May;27(4):392-401.
27. Holfort SK, Norgaard K, Jackson GR, Hommel E, Madsbad S, Munch IC, et al. Retinal function in relation to improved glycaemic control in type 1 diabetes. *Diabetologia* 2011 Jul;54(7):1853-61.
28. Hornbak M, Banasik K, Justesen JM, Krarup NT, Sandholt CH, Andersson A. et al. The minor C-allele of rs2014355 in ACADS is associated with reduced insulin release following an oral glucose load. *BMC Medical Genetics* 2011;12.

29. Husted GR, Thorsteinsson B, Esbensen BA, Hommel E, Zoffmann V. Improving glycaemic control and life skills in adolescents with type 1 diabetes: A randomised, controlled intervention study using the Guided Self-Determination-Young method in triads of adolescents, parents and health care providers integrated into routine paediatric outpatient clinics. *BMC Pediatr* 2011;11:55.
30. Iqbal Kring SI, Barefoot J, Brummett BH, Boyle SH, Siegler IC, Toubro S, et al. Associations between APOE variants and metabolic traits and the impact of psychological stress. *PLoS ONE* 2011;6(1).
31. Jafar-Mohammadi B, Groves CJ, Gjesing AP, Herrera BM, Winckler W, Stringham HM, et al. A role for coding functional variants in HNF4A in type 2 diabetes susceptibility. *Diabetologia* 2011;54(1):111-9.
32. Jensen AC, Barker A, Kumari M, Brunner EJ, Kivimaki M, Hingorani AD, et al. Associations of common genetic variants with age-related changes in fasting and postload glucose: Evidence from 18 years of follow-up of the whitehall II cohort. *Diabetes* 2011;60(5):1617-23.
33. Johannesen J, Svensson J, Bergholdt R, Eising S, Gramstrup H, Frandsen E, et al. Hypoglycemia, S-ACE and ACE genotypes in a Danish nationwide population of children and adolescents with type 1 diabetes. *Pediatric Diabetes* 2011;12(2):100-6.
34. Jørgensen C, Hovind P, Schmedes A, Parving H-H, Rossing P. Vitamin D levels, microvascular complications, and mortality in type 1 diabetes. *Diabetes Care* 2011;34(5):1081-5.
35. Koeck T, Olsson AH, Nitert MD, Sharoyko VV, Ladenvall C, Kotova O, et al. A common variant in TFB1M is associated with reduced insulin secretion and increased future risk of type 2 diabetes. *Cell Metabolism* 2011;13(1):80-91.
36. Kulahin N, Grunnet LG, Lundh M, Christensen DP, Jorgensen R, Heding A, et al. Direct demonstration of NCAM cis-dimerization and inhibitory effect of palmitoylation using the BRET2 technique. *FEBS Letters* 2011;585(1):58-64.
37. Lewis EC, Blaabjerg L, St+yriling J, Ronn SG, Mascagni P, Dinarello CA, et al. The oral histone deacetylase inhibitor ITF2357 reduces cytokines and protects islet + β cells in vivo and in vitro. *Molecular Medicine* 2011;17(5-6):369-77.
38. Lund SS, Petersen M, Frandsen M, Smidt UM, Parving H-H, Vaag AA, et al. Agreement between fasting and postprandial LDL cholesterol measured with 3 methods in patients with type 2 diabetes mellitus. *Clinical Chemistry* 2011;57(2):298-308.
39. Magnussen R. Game-Like Technology Innovation Education. *International Journal of virtual and Personal Learning Environments* 2011;2(2):30-9.
40. Morahan G, Mehta M, James I, Chen WM, Akolkar B, Erlich HA, et al. Tests for genetic interactions in type 1 diabetes linkage and stratification analyses of 4,422 affected sib-pairs. *Diabetes* 2011;60(3):1030-40.
41. Mosbech TH, Pilgaard K, Vaag A, Larsen R. Automatic segmentation of abdominal adipose tissue in MRI. 6688 LNCS ed. 2011. p. 501-11.
42. Munch IC, Larsen M, Borch-Johnsen K, Glymer C, Lund-Andersen H, Kessel L. Cumulative glycaemia as measured by lens fluorometry: Association with retinopathy in type 2 diabetes. *Diabetologia* 2011;54(4):757-61.
43. Munch IC, Larsen M, Kessel L, Borch-Johnsen K, Lund-Andersen H, Glymer C. Cumulative glycaemia and microangiopathy in subjects with impaired glucose regulation in the Inter99 study. *Diabetes Research and Clinical Practice* 2011;91(2):226-32.
44. Møllsten A, Vionnet N, Forsblom C, Parkkonen M, Tarnow L, Hadjadj S, et al. A polymorphism in the angiotensin II type 1 receptor gene has different effects on the risk of diabetic nephropathy in men and women. *Molecular Genetics and Metabolism* 2011;103(1):66-70.

45. Nielsen SE, Hansen HP, Jensen BR, Parving H-H, Rossing P. Urinary neutrophil gelatinase-associated lipocalin and progression of diabetic nephropathy in type 1 diabetic patients in a four-year follow-up study. *Nephron - Clinical Practice* 2011;118(2):c130-c135.
46. Nielsen SE, Andersen S, Zdunek D, Hess G, Parving H-H, Rossing P. Tubular markers do not predict the decline in glomerular filtration rate in type 1 diabetic patients with overt nephropathy. *Kidney International* 2011;79(10):1113-8.
47. Nielsen T, Sparsø T, Grarup N, Jørgensen T, Pisinger C, Witte DR, et al. Erratum: Type 2 diabetes risk allele near CENTD2 is associated with decreased glucose-stimulated insulin release (*Diabetologia* DOI:10.1007/s00125-011-2054-3). *Diabetologia* 2011;54(5):1266.
48. Nielsen T, Sparsø T, Grarup N, Jørgensen T, Pisinger C, Witte DR, et al. Type 2 diabetes risk allele near CENTD2 is associated with decreased glucose-stimulated insulin release. *Diabetologia* 2011;54(5):1052-6.
49. Nin JW, Jorsal A, Ferreira I, Schalkwijk CG, Prins MH, Parving H-H, et al. Higher plasma levels of advanced glycation end products are associated with incident cardiovascular disease and all-cause mortality in type 1 diabetes: A 12-year follow-up study. *Diabetes Care* 2011;34(2):442-7.
50. Norgaard ML, Andersson C, Hansen PR, Andersen SS, Vaag A, Schramm TK, et al. Temporal trends in the initiation of glucose-lowering medications after a first-time myocardial infarction - a nationwide study between 1997 and 2006. *Cardiovascular Diabetology* 2011;10.
51. Persson F, Lewis JB, Lewis EJ, Rossing P, Hollenberg NK, Parving H-H. Aliskiren in combination with losartan reduces albuminuria independent of baseline blood pressure in patients with type 2 diabetes and nephropathy. *Clinical Journal of the American Society of Nephrology* 2011;6(5):1025-31.
52. Plummer M, Carstensen B. Lexis: An R class for epidemiological studies with Long-term follow-up. *Journal of Statistical Software* 2011;38(5):1-12.
53. Rabbani N, Adaikalakoteswari A, Rossing K, Rossing P, Tarnow L, Parving H-H, et al. Effect of Irbesartan treatment on plasma and urinary markers of protein damage in patients with type 2 diabetes and microalbuminuria. *Amino Acids*. In press 2011.
54. Reinhard H, Jacobsen PK, Lajer M, Tarnow L, Astrup AS, Kim WY, et al. Endothelial progenitor cells in long-standing asymptomatic type 1 diabetic patients with or without diabetic nephropathy. *Nephron - Clinical Practice* 2011;118(3):c309-c314.
55. Ribel-Madsen R, Brøns C, Friedrichsen M, Poulsen P, Vaag A. Retinol-binding protein 4 in young men with low versus normal birth weight: Physiological response to short-term overfeeding. *Obesity* 2011;19(6):1304-6.
56. Rubak S, Sandbæk A, Lauritzen T, Borch-Johnsen K, Christensen B. Effect of "motivational interviewing" on quality of care measures in screen detected type 2 diabetes patients: A one-year follow-up of an RCT, ADDITION Denmark. *Scandinavian Journal of Primary Health Care* 2011;29(2):92-8.
57. Sinha R, Daniel CR, Devasenapathy N, Shetty H, Yurgalevitch S, Ferrucci LM, et al. Multi-center feasibility study evaluating recruitment, variability in risk factors and biomarkers for a diet and cancer cohort in India. *BMC Public Health* 2011;11:405.
58. Thyssen JP, Linneberg A, Carlsen BC, Johansen JD, Engkilde K, Hansen T, et al. A possible association between a dysfunctional skin barrier (filaggrin null-mutation status) and diabetes: A cross-sectional study. *BMJ Open* 2011.
59. Zhang P, Zhang X, Brown J, Vistisen D, Sicree R, Shaw J, et al. Erratum to "Global healthcare expenditure on diabetes for 2010 and 2030" [*Diabetes Res. Clin. Pract.* 87 (1) (2010) 293-301]. *Diabetes Research and Clinical Practice* 2011;92(2):301.

Review articles, textbooks etc.

1. Bak J, Brandt-Christensen M, Sestoft DM, Zoffmann V. Mechanical Restraint-Which Interventions Prevent Episodes of Mechanical Restraint?-A Systematic Review. *Perspectives in Psychiatric Care*. In press 2011.
2. Hemmingsen B, Lund SS, Gluud C, Vaag A, Almdal T, Hemmingsen C, et al. Targeting intensive glycaemic control versus targeting conventional glycaemic control for type 2 diabetes mellitus. *Cochrane Database Syst Rev* 2011;(6):CD008143.
3. Hildebrandt P, Jensen JS, Rossing P. Det diabetiske hjerte. *Diabetes - sygdom, behandling og organisation*. 2011. p. 285-300.
4. Holen M, Voigt JR, Sørensen L. *Kliniske metoder i sygeplejepraksis - perspektiver og positioner*. Munksgaard Danmark; 2011.
5. Hovind P, Rossing P, Johnson RJ, Parving H-H. Serum uric acid as a new player in the development of diabetic nephropathy. *Journal of Renal Nutrition* 2011;21(1):124-7.
6. Jensen BB, Willaing I. Sundhedspædagogiske perspektiver i patientuddannelse. *Diabetes - sygdom, behandling og organisation*. Munksgaard Danmark; 2011. p. 365-75.
7. Magnussen R. Vælg (også) computerspil til din undervisning. *Reflex - CFU's Magasin og kursusplan for undervisere i grundskolen*. VIA Center for undervisningsmidler. 16. 2011.
8. Mayer G, Heinze G, Mischak H, Hellemons ME, Heerspink HJ, Bakker SJ, et al. Omics-bioinformatics in the context of clinical data. *Methods Mol Biol* 2011;719:479-97.
9. Rossing P, de Zeeuw D. Need for better diabetes treatment for improved renal outcome. *Kidney international Supplement* 2011;(120):S28-S32.
10. Rossing P, Parving H-H. Nefropati og hypertension. *Diabetes - sygdom, behandling og organisation*. 2011. p. 211-21.
11. Schjoedt KJ. The renin-angiotensin-aldosterone system and its blockade in diabetic nephropathy. *Danish Medical Bulletin* 2011;58(4).
12. Schwennesen N. From informed choice to distributed decision making. *Studying prenatal decision making as processes of knowledge production*. Corfu 2011.
13. Sletting B, Voigt JR. Kompetencer og kliniske metoder i sygeplejerskeuddannelsen. *Kliniske metoder i sygeplejepraksis - perspektiver og positioner*. Munksgaard Danmark; 2011. p. 57-73.

PhD theses

- Louise Lundby Christensen, læge: Carotid intima-media thickness in type 2 diabetes – methodological considerations and effects of interventions. University of Copenhagen., juni 2011.
- Kasper Ascanius Pilgaard, læge: Developmental Programming of Type 2 Diabetes. Novel Epidemiological and Mechanistic Insights from Danish cohort Studies. University of Copenhagen., juni 2011.
- Martin Friedrichsen: Is insulin resistance related to molecular events in skeletal muscle? – Integrative analyses of insulin signaling and inflammation. Københavns Universitet, juni 2011. Professor Jørn Nerup, DMSc, Steno Diabetes Center, Gentofte, Denmark

Master's Degree Dissertations

Maiken Bang Hansen: Causes of Death among Diabetes Patients. University of Copenhagen.

Stine Byberg: Sleep Duration and Markers of Glucose Homeostasis. University of Copenhagen.



Scientific Publications 2011



Scientific Publications 2011



Scientific Publications 2011